

# New in 2025



F A R O  
BARCELONA

1.



# Indoor





# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	1.5 MT



**20337-140 301,10€**  
Satin Black + Gloss  
White



**20337-141 301,10€**  
Satin Black + Gloss  
Black




**20337-142 301,10€**  
Satin Black + Gloss  
Grayish Blue



**20337-143 301,10€**  
Satin Black + Gloss  
Reddish Orange



**20337-144 301,10€**  
Satin Black + Gloss  
Green





# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



**20336-145 431,30€**  
Satin Black + Gloss  
White



**20336-146 431,30€**  
Satin Black + Gloss  
Black




**20336-147 431,30€**  
Satin Black + Gloss  
Grayish Blue



**20336-148 431,30€**  
Satin Black + Gloss  
Reddish Orange



**20336-149 431,30€**  
Satin Black + Gloss  
Green







# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



**20339-140 146,30€**  
Satin Black + Gloss  
White



**20339-141 146,30€**  
Satin Black + Gloss  
Black




**20339-142 146,30€**  
Satin Black + Gloss  
Grayish Blue



**20339-143 146,30€**  
Satin Black + Gloss  
Reddish Orange



**20339-144 146,30€**  
Satin Black + Gloss  
Green





# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



**20339-145 182,60€**  
Satin Black + Gloss  
White



**20339-146 182,60€**  
Satin Black + Gloss  
Black




**20339-147 182,60€**  
Satin Black + Gloss  
Grayish Blue



**20339-148 182,60€**  
Satin Black + Gloss  
Reddish Orange



**20339-149 182,60€**  
Satin Black + Gloss  
Green



# Tatawin Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	3 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



**20338-140**  
**493,80€**  
 Satin Black + Gloss  
 White



**20338-141** **493,80€**  
 Satin Black + Gloss  
 Black




**20338-142**  
**493,80€**  
 Satin Black + Gloss  
 Grayish Blue



**20338-143**  
**493,80€**  
 Satin Black + Gloss  
 Reddish Orange



**20338-144**  
**493,80€**  
 Satin Black + Gloss  
 Green



# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	3 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



**20338-145 602,70€**  
Satin Black + Gloss  
White



**20338-146 602,70€**  
Satin Black + Gloss  
Black




**20338-147 602,70€**  
Satin Black + Gloss  
Grayish Blue



**20338-148 602,70€**  
Satin Black + Gloss  
Reddish Orange



**20338-149 602,70€**  
Satin Black + Gloss  
Green



# Tatawin Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	5 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT



**20343-140-5L**  
**836,90€**  
 Satin Black + Gloss White



**20343-141-5L**  
**836,90€**  
 Satin Black + Gloss Black





**20343-142-5L**  
**836,90€**  
 Satin Black + Gloss Grayish Blue



**20343-143-5L**  
**836,90€**  
 Satin Black + Gloss Reddish Orange



**20343-144-5L**  
**836,90€**  
 Satin Black + Gloss Green



# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	5 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT



**20343-145-5L**  
**1.018,40€**  
 Satin Black + Gloss  
 White



**20343-146-5L**  
**1.018,40€**  
 Satin Black + Gloss  
 Black





**20343-147-5L**  
**1.018,40€**  
 Satin Black + Gloss  
 Grayish Blue



**20343-148-5L**  
**1.018,40€**  
 Satin Black + Gloss  
 Reddish Orange



**20343-149-5L**  
**1.018,40€**  
 Satin Black + Gloss  
 Green







# Tatawin

Adolfo Abejón

<b>Material Body</b>	Aluminium
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20



**20335-140 176,80€**  
Satin Black + Gloss  
White



**20335-141 176,80€**  
Satin Black + Gloss  
Black




**20335-142 176,80€**  
Satin Black + Gloss  
Grayish Blue



**20335-143 176,80€**  
Satin Black + Gloss  
Reddish Orange



**20335-144 176,80€**  
Satin Black + Gloss  
Green






# Tatawin

Adolfo Abejón

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20





# Hoshi

Xjer Studio

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Opal PC
<b>Material Shade</b>	Steel
<b>Power</b>	12W
<b>Lumen Output</b>	782lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	100V-240V/50-60Hz
<b>Cable</b>	2 MT




**28350 303,40€**  
Gloss Black



**28351 303,40€**  
Gloss Blue



**28352 303,40€**  
Gloss Garnet





# Novo

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Power</b>	5W
<b>Lumen Output</b>	344lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz




**62716 118,50€**  
Beige



**62717 118,50€**  
Matt Black



**62718 118,50€**  
Terracotta







# Novo

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Power</b>	12W
<b>Lumen Output</b>	610lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz




**62724 182,60€**  
Beige



**62725 182,60€**  
Matt Black



**62726 182,60€**  
Terracotta





# Leo

Estudi Ribaudí


<b>Material Body</b>	Aluminium
<b>Power</b>	3,5W
<b>Lumen Output</b>	299lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cable</b>	2 MT



**43796 170,10€**  
Matt White



**43797 170,10€**  
Matt Black





# Leo

Estudi Ribaudí


<b>Material Body</b>	Aluminium
<b>Power</b>	3,5W
<b>Lumen Output</b>	299lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cable</b>	2 MT



**43798 227,30€**  
Matt White



**43799 227,30€**  
Matt Black





# Leo

Estudi Ribaudí


<b>Material Body</b>	Aluminium
<b>Power</b>	7W
<b>Lumen Output</b>	590lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cut out (mm)</b>	85



**43790 105,20€**  
Matt White



**43791 105,20€**  
Matt Black







# Leo

Estudi Ribaudí


<b>Material Body</b>	Aluminium
<b>Power</b>	7W
<b>Lumen Output</b>	590lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cut out (mm)</b>	85



**43792 117,20€**  
Matt White



**43793 117,20€**  
Matt Black





# Leo

Estudi Ribaudí



<b>Material Body</b>	Aluminium
<b>Power</b>	7W
<b>Lumen Output</b>	590lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**43794 119,50€**  
Matt White



**43795 119,50€**  
Matt Black






Indoor

# Kappu Faro Lab

<b>Material Body</b>	Plaster
<b>Light Source</b>	2 E14 max. 7W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17460
<b>Class</b>	II
<b>IP</b>	20



63430 101,00€  
White



New in

2025


# Kappu Faro Lab

<b>Material Body</b>	Plaster
<b>Light Source</b>	1 E14 max. 7W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17460
<b>Class</b>	II
<b>IP</b>	20



63428 77,50€

White



Indoor


# Kappu Faro Lab

<b>Material Body</b>	Plaster
<b>Light Source</b>	1 E14 max. 7W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17460
<b>Class</b>	II
<b>IP</b>	20



63429 87,80€

White







Indoor

# Trama


Faro Lab

<b>Material Body</b>	Plaster
<b>Light Source</b>	1 E14 max. 7W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17460
<b>Class</b>	II
<b>IP</b>	20



63435 91,80€

White





Indoor

# Trama


Faro Lab

<b>Material Body</b>	Plaster
<b>Light Source</b>	2 E14 max. 7W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17460
<b>Class</b>	II
<b>IP</b>	20



63436 108,60€

White







# Martinica

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17428
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	1.5 MT





# Martinica

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17428
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	3.5 MT




**20034-133**  
304,30€  
Black + Black



**20034-134**  
304,30€  
Black + Blue



**20034-135**  
304,30€  
Black + Beige








# Martinica

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17428
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT





# Martinica

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17428
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT




**20040-133**  
**234,00€**  
Black + Black



**20040-134**  
**234,00€**  
Black + Blue



**20040-135**  
**234,00€**  
Black + Beige






# Dominica

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT



**20042-122 182,60€** **20042-123 182,60€**  
Matt Black + Beige Matt Black + Black





# Bela

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17462
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.7 MT



**56100 84,60€**  
Black




**56101 84,60€**  
White



**56102 84,60€**  
Blue



**56103 84,60€**  
Red







# Moy

Nahtrang

<b>Material Body</b>	Steel
<b>Material Shade</b>	Glass
<b>Power</b>	4W
<b>Lumen Output</b>	260lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	100V-240V/50-60Hz
<b>Cable</b>	1.8 MT



40065 102,40€  
Matt Black





# Matilda

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E14 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17519
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT




20512-136 167,20€  
Beige



20513-137 167,20€  
Black



20514-138 167,20€  
Garnet





# Matilda

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E14 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17519
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT




20516-136 212,90€  
Beige



20517-137 212,90€  
Black



20518-138 212,90€  
Garnet





# Matilda

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E14 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17519
<b>Class</b>	II
<b>IP</b>	20




**20500 108,30€**  
Beige



**20501 108,30€**  
Black



**20502 108,30€**  
Garnet







# Matilda

Faro Lab

<b>Material Body</b>	Steel
<b>Material Shade</b>	Steel
<b>Light Source</b>	1 E14 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17519
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2.5 MT




20508-136 144,20€  
Beige



20509-137 144,20€  
Black



20510-138 144,20€  
Garnet






# Stand Up

Estudi Ribaudí

<b>Material Body</b>	Aluminium
<b>Material Shade</b>	Linen
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT



57211-04 503,40€  
Matt Black + Linen





# Cata

Marina Milà


<b>Material Body</b>	Ash Wood
<b>Material Shade</b>	Papyrus
<b>Power</b>	2W
<b>Lumen Output</b>	80lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2200K
<b>Class</b>	II
<b>Driver included</b>	Yes
<b>CRI</b>	85
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cable</b>	1.5 MT



57211-04 503,40€  
Matt Black + Linen



57211-04 503,40€  
Matt Black + Linen





# Sole

<b>Material Body</b>	Aluminium + Steel
<b>Light Source</b>	1 GU10 max. 8W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17316
<b>Class</b>	I
<b>IP</b>	20



40522 18,80€  
White




40523 18,80€  
Black



40524 18,80€  
Grey



40525 18,80€  
Terracotta



# Sole

**Material Body** Aluminium + Steel

**Light Source** 2 GU10 max. 8W

**Bulb included** No

**Recommended Bulb** 17316

**Class** I

**IP** 20



**40538 28,70€**  
White




**40539 28,70€**  
Black



**40540 28,70€**  
Grey



**40541 28,70€**  
Terracotta





# Sole

**Material Body** Aluminium + Steel

**Light Source** 1 GU10 max. 8W

**Bulb included** No

**Recommended Bulb** 17316

**Class** I

**IP** 20



**40526 20,50€**  
White




**40527 20,50€**  
Black



**40528 20,50€**  
Grey



**40529 20,50€**  
Terracotta





# Sole

**Material Body** Aluminium + Steel

**Light Source** 2 GU10 max. 8W

**Bulb included** No

**Recommended Bulb** 17316

**Class** I

**IP** 20



**40542 29,70€**  
White




**40543 29,70€**  
Black



**40544 29,70€**  
Grey



**40545 29,70€**  
Terracotta





# Lune

<b>Material Body</b>	Aluminium + Steel
<b>Light Source</b>	1 GU10 max. 8W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17316
<b>Class</b>	I
<b>IP</b>	20



40530 20,00€  
White




40531 20,00€  
Black




40532 20,00€  
Grey



40533 20,00€  
Terracotta





# Lune

<b>Material Body</b>	Aluminium + Steel
<b>Light Source</b>	2 GU10 max. 8W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	97685327
<b>Class</b>	I
<b>IP</b>	20



40546 31,40€  
White




40547 31,40€  
Black



40548 31,40€  
Grey



40549 31,40€  
Terracotta



# Lune

<b>Material Body</b>	Aluminium + Steel
<b>Light Source</b>	1 GU10 max. 8W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17316
<b>Class</b>	I
<b>IP</b>	20



40534 21,40€  
White




40535 21,40€  
Black



40536 21,40€  
Grey



40537 21,40€  
Terracotta





# Lune

<b>Material Body</b>	Aluminium + Steel
<b>Light Source</b>	2 GU10 max. 8W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	97685327
<b>Class</b>	I
<b>IP</b>	20



40565 31,40€  
White




40566 31,40€  
Black



40567 31,40€  
Grey



40568 31,40€  
Terracotta






# Kiva

<b>Material Body</b>	Stainless Steel
<b>Material Shade</b>	PMMA
<b>Power</b>	18W
<b>Lumen Output</b>	1852lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



62836 271,80€

Chrome



New in


2025

# Kiva

<b>Material Body</b>	Stainless Steel
<b>Material Shade</b>	PMMA
<b>Power</b>	10W
<b>Lumen Output</b>	1103lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**62832 169,30€**  
Chrome




# Kiva

<b>Material Body</b>	Stainless Steel
<b>Material Shade</b>	PMMA
<b>Power</b>	14W
<b>Lumen Output</b>	1581lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



62834 198,80€

Chrome






# Mabe

<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	6W
<b>Lumen Output</b>	503lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



62830 108,30€  
Matt Black







# Nubo


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	7,8W
<b>Lumen Output</b>	362lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**60006 102,10€**  
Matt White



**60007 102,10€**  
Matt Black





# Nubo


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	9,7W
<b>Lumen Output</b>	821lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**60008 121,60€**  
Matt White



**60009 121,60€**  
Matt Black





# Calma

<b>Material Body</b>	Steel + Glass
<b>Power</b>	5W
<b>Lumen Output</b>	430lm
<b>Light Source</b>	S14D
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



63546 43,80€  
White



63547 43,80€  
Black



63548 54,10€  
Brushed Gold




63549 43,80€  
Yellow



63550 43,80€  
Blue



63551 43,80€  
Terracotta





# Calma

<b>Material Body</b>	Steel + Glass
<b>Power</b>	7W
<b>Lumen Output</b>	608lm
<b>Light Source</b>	S14D
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	>80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



63552 48,70€  
White



63553 48,70€  
Black



63554 58,90€  
Brushed Gold




63555 48,70€  
Yellow



63556 48,70€  
Blue



63557 48,70€  
Terracotta



New in


2025

# Tuk

<b>Material Body</b>	YESO + ALUMINIO
<b>Power</b>	2W
<b>Lumen Output</b>	97lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V
<b>Beam angle</b>	35°
<b>Cut out (mm)</b>	103x103



63425 61,10€  
White





# Gas


<b>Material Body</b>	Aluminium
<b>Power</b>	8W
<b>Lumen Output</b>	
<b>Light Source</b>	GU10
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	No
<b>Voltage (V/Hz)</b>	100V-240V/50-60Hz
<b>Cut out (mm)</b>	168x78



**43420 34,70€**  
Matt White



**43421 34,70€**  
Matt Black






# Cronos

Faro Lab

<b>Material Body</b>	Steel + Aluminium
<b>Power</b>	4,5W
<b>Lumen Output</b>	394lm
<b>Light Source</b>	HIGH POWER LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	34°




**62750 98,30€**  
Matt White



**62751 98,30€**  
Matt Black



**62752 117,50€**  
Bronze





# Timit

Faro Lab


<b>Material Body</b>	Steel + Aluminium
<b>Power</b>	4,5W
<b>Lumen Output</b>	357lm
<b>Light Source</b>	HIGH POWER LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	34°



62760 102,50€  
Matt White



62761 102,50€  
Matt Black





# Timit

Faro Lab


<b>Material Body</b>	Steel + Aluminium
<b>Power</b>	4,5W
<b>Lumen Output</b>	357lm
<b>Light Source</b>	HIGH POWER LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	34°



**62762 87,20€**  
Matt White



**62763 87,20€**  
Matt Black







# Gabo

Faro Lab

<b>Material Body</b>	Steel + Aluminium
<b>Power</b>	4W
<b>Lumen Output</b>	394lm
<b>Light Source</b>	HIGH POWER LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	34°




**62753 110,30€**  
White



**62754 110,30€**  
Matt Black



**62755 128,30€**  
Bronze





# Gabo

Faro Lab

<b>Material Body</b>	Steel + Aluminium
<b>Power</b>	4,5W
<b>Lumen Output</b>	394lm
<b>Light Source</b>	HIGH POWER LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	34°




62756 127,00€  
White



62757 127,00€  
Matt Black



62758 149,00€  
Bronze





# Mizu

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PMMA
<b>Power</b>	8W
<b>Lumen Output</b>	420lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	80°



**68615 49,30€**  
Matt White



**68616 49,30€**  
Matt Black





# Mizu


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PMMA
<b>Power</b>	15W
<b>Lumen Output</b>	831lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	80°



**68617 68,30€**  
Matt White



**68618 68,30€**  
Matt Black







# Aris


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PC
<b>Power</b>	20W
<b>Lumen Output</b>	1528lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	110°



**68625 82,30€**  
White



**68626 82,30€**  
Black





# Aris


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PC
<b>Power</b>	30W
<b>Lumen Output</b>	2797lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	110°



**68627 97,40€**  
White



**68628 97,40€**  
Black





# Nina

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PMMA
<b>Material Shade</b>	Aluminium
<b>Power</b>	4W
<b>Lumen Output</b>	108lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	38°
<b>Cable</b>	1.5 MT




**22023 74,40€**  
Black



**22024 74,40€**  
White



**22025 78,80€**  
Satin Gold





# Lina


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Translucent PC
<b>Material Shade</b>	Aluminium
<b>Power</b>	12W
<b>Lumen Output</b>	524lm
<b>Light Source</b>	MODULO LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	85°
<b>Cable</b>	1.5 MT



**22028 144,20€**  
Black



**22029 144,20€**  
White







# Anna


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PMMA
<b>Material Shade</b>	Aluminium
<b>Power</b>	4W
<b>Lumen Output</b>	205lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	18°
<b>Cable</b>	1.5 MT



**22032 96,20€**  
Black



**22033 96,20€**  
White





# Diana

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	6W
<b>Lumen Output</b>	317lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	18°
<b>Cable</b>	1.5 MT



**22005 83,60€**  
Black




**22006 83,60€**  
Dark Brown



**22007 83,60€**  
Matt White



**22008 95,10€**  
Satin Gold



# Diana

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	6W
<b>Lumen Output</b>	317lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	18°
<b>Cable</b>	1.5 MT



**22011 92,20€**  
Black




**22012 92,20€**  
Dark Brown



**22013 92,20€**  
Matt White



**22014 101,90€**  
Satin Gold



# Diana

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	6W
<b>Lumen Output</b>	317lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	18°
<b>Cable</b>	1.5 MT



**22017 99,60€**  
Black



**22018 99,60€**  
Dark Brown



**22019 99,60€**  
Matt White




**22020 121,60€**  
Satin Gold





# RoI


<b>Material Body</b>	Aluminium + ABS
<b>Power</b>	9W
<b>Lumen Output</b>	537lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	60°



**68619 80,80€**  
Matt White



**68620 80,80€**  
Matt Black



ø75/3'

New in

2025

# RoI


<b>Material Body</b>	Aluminium + ABS
<b>Power</b>	15W
<b>Lumen Output</b>	968lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	60°



**68621 84,90€**  
Matt White



**68622 84,90€**  
Matt Black



ø7 5/8"



# RoI


<b>Material Body</b>	Aluminium + ABS
<b>Power</b>	30W
<b>Lumen Output</b>	1965lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	60°



**68623 131,10€**  
Matt White



**68624 131,10€**  
Matt Black




# Tast

<b>Material Body</b>	Aluminium
<b>Power</b>	5W
<b>Lumen Output</b>	350lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	65
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	40°
<b>Cut out (mm)</b>	ø45



**44001 39,20€**  
Matt White




# Tast

<b>Material Body</b>	Aluminium
<b>Power</b>	5W
<b>Lumen Output</b>	350lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	65
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	40°
<b>Cut out (mm)</b>	ø45



**44002 40,40€**  
Matt White



# Lox

<b>Material Body</b>	Aluminium + PC
<b>Power</b>	6-8W
<b>Light Source</b>	COB LED
<b>Dimmable W</b>	52
<b>Class</b>	III
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	=80
<b>Voltage (V/Hz)</b>	/50-60Hz
<b>Beam angle</b>	36°
<b>Cut out (mm)</b>	ø55



**43880 32,70€**  
White  
2700K 473lm




**43881 32,70€**  
Black  
2700K 473lm



**43882 32,70€**  
White  
3000K 487lm



**43883 32,70€**  
Black  
3000K 487lm



# Lox

<b>Material Body</b>	Aluminium + PC
<b>Power</b>	6-8W
<b>Light Source</b>	COB LED
<b>Dimmable W</b>	52
<b>Class</b>	III
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	=80
<b>Voltage (V/Hz)</b>	/50-60Hz
<b>Beam angle</b>	36°
<b>Cut out (mm)</b>	ø55



**43884 33,60€**  
White  
2700K 473lm




**43885 33,60€**  
Black  
2700K 473lm



**43886 33,60€**  
White  
3000K 487lm



**43887 33,60€**  
Black  
3000K 487lm





# Stan


<b>Material Body</b>	Steel
<b>Power</b>	12W
<b>Lumen Output</b>	942lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	3000K
<b>Class</b>	I
<b>IP</b>	20
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**43770 130,60€**  
Matt Black



**43771 130,60€**  
Matt White







# Dop

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PC
<b>Power</b>	15W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	54
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	85°
<b>Cut out (mm)</b>	ø95



**44005 51,10€**  
White  
2700K 1268lm



**44006 50,80€**  
White  
3000K 1335lm



# Dop

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PC
<b>Power</b>	8W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	54
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	85°
<b>Cut out (mm)</b>	ø75



**44003 37,00€**  
White  
2700K 676lm



**44004 37,00€**  
White  
3000K 712lm



# Dop

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Opal PC
<b>Power</b>	33W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	54
<b>Driver included</b>	Yes
<b>CRI</b>	≥90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	85°
<b>Cut out (mm)</b>	ø145



**44007 85,70€**  
White  
2700K 2565lm



**44008 85,70€**  
White  
3000K 2700lm







# Windsor

Faro Lab

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Grey Textile
<b>Material Shade</b>	Textile
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT







# Windsor

Faro Lab

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Grey Textile
<b>Material Shade</b>	Textile
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17464
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	2 MT







# Windsor

Faro Lab

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Natural Papyrus
<b>Material Shade</b>	Textile
<b>Light Source</b>	3 E27 max. 45W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	1.5 MT



Standard Canopy

Displaced Canopy



**20229-132 301,30€**  
Matt Black + Grey





**20229-153 310,00€**  
Matt Black + Linen



**20231-132 329,40€**  
Matt Black + Grey



**20231-153 338,10€**  
Matt Black + Linen



# Windsor

Faro Lab


<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Grey Textile
<b>Material Shade</b>	Textile
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20



20221-129 123,40€  
Matt Black + Grey

20221-150 123,40€  
Matt Black + Linen

20222-150 125,50€  
Matt White + Linen




# Windsor

Faro Lab

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Natural Linen
<b>Material Shade</b>	Textile
<b>Light Source</b>	1 E27 max. 15W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20



20223-129 177,50€ Matt Black + Grey  
 20223-150 179,50€ Matt Black + Linen  
 20224-150 179,50€ Matt White + Linen





# Samba

Faro Lab

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Natural Papyrus
<b>Material Shade</b>	Textile
<b>Light Source</b>	3 E27 max. 45W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17463
<b>Class</b>	II
<b>IP</b>	20
<b>Cable</b>	1.5 MT



Standard Canopy



64329-154

679,40€



Matt Black + Beige

Displaced Canopy



64330-154 703,70€

Matt Black + Beige





# Outdoor







Outdoor

# Nara Carrasquet

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Opal White PEMD
<b>Light Source</b>	1 E27 max. 12W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17070
<b>Class</b>	II
<b>IP</b>	65
<b>Cable</b>	2.5 MT




72102-155 434,30€  
Beige



72102-156 434,30€  
Matt Black



72102-157 434,30€  
Rust Brown





# Nara

Carrasquet

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Opal White PEMD
<b>Light Source</b>	1 E27 max. 12W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17070
<b>Class</b>	II
<b>IP</b>	65
<b>Cable</b>	2.5 MT




72103-155 517,90€  
Beige



72103-156 517,90€  
Matt Black



72103-157 517,90€  
Rust Brown





# Nara

Carrasquet

<b>Material Body</b>	Steel
<b>Material Diffusor</b>	Opal White PEMD
<b>Light Source</b>	1 E27 max. 12W
<b>Bulb included</b>	No
<b>Recommended Bulb</b>	17070
<b>Class</b>	II
<b>IP</b>	65
<b>Cable</b>	1.2 MT




72104-155 412,30€  
Beige



72104-156 412,30€  
Matt Black



72104-157 412,30€  
Rust Brown





# Grot

Faro Lab


<b>Material Body</b>	Concrete
<b>Power</b>	6,5W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	55
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	100V-277V/50-60Hz



**75631 292,90€**  
Concrete  
2700K 77lm



**75634 292,90€**  
Concrete  
3000K 110lm







# Grot

Faro Lab


<b>Material Body</b>	Concrete
<b>Power</b>	6,5W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	55
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	100V-277V/50-60Hz



**75632 367,00€**  
Concrete  
2700K 77lm



**75635 367,00€**  
Concrete  
3000K 110lm





# Grot

Faro Lab


<b>Material Body</b>	Concrete
<b>Power</b>	6,5W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	55
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	100V-277V/50-60Hz



**75630 189,00€**  
Concrete  
2700K 122lm



**75633 189,00€**  
Concrete  
3000K 173lm





# Glint

Faro Lab

**Material Body** Concrete

**Power** 6,5W

**Light Source** SMD LED

**Class** II

**IP** 55

**IK** 06

**Driver included** Yes

**CRI**  $\geq 80$


**Voltage (V/Hz)** 100V-277V/50-60Hz



**75636 189,00€**  
Concrete  
2700K 68lm



**75639 189,00€**  
Concrete  
3000K 97lm





# Glint

Faro Lab


<b>Material Body</b>	Concrete
<b>Power</b>	6,5W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	55
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	100V-277V/50-60Hz



**75637 292,90€**  
Concrete  
2700K 68lm



**75640 292,90€**  
Concrete  
3000K 97lm







# Glint

Faro Lab


<b>Material Body</b>	Concrete
<b>Power</b>	6,5W
<b>Light Source</b>	SMD LED
<b>Class</b>	II
<b>IP</b>	55
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	100V-277V/50-60Hz



**75638 367,00€**  
Concrete  
2700K 68lm



**75641 367,00€**  
Concrete  
3000K 97lm





# Pilo

<b>Material Body</b>	Concrete
<b>Power</b>	6W
<b>Lumen Output</b>	242lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	II
<b>IP</b>	65
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz



**75595 255,90€**  
Concrete  
2700K 242lm



**75596 255,90€**  
Concrete  
3000K 370lm

200/7.9"





# Cuca

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75580 124,40€**  
Black  
Class III  
24VDC



**75582 167,50€**  
Black  
Class II  
220V-240V/50-60Hz





# Cuca

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75581 155,30€**  
Black  
Class III  
24VDC



**75583 167,50€**  
Black  
Class II  
220V-240V/50-60Hz







# Cuca

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75584 128,10€**  
Black  
Class III  
24VDC



**75587 171,10€**  
Black  
Class II  
220V-240V/50-60Hz






# Cuca

Faro Lab

<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT




**75588 165,20€**  
Black  
Class III  
24VDC



**75591 208,20€**  
Black  
Class II  
220V-240V/50-60Hz

ø85/3.3"



# Cuca

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75585 158,80€**  
Black  
Class III  
24VDC



**75586 201,80€**  
Black  
Class II  
220V-240V/50-60Hz



# Cuca

Faro Lab

<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Opal Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75589 196,00€**  
Black  
Class III  
24VDC



**75590 239,00€**  
Black  
Class II  
220V-240V/50-60Hz





# Lily

Faro Lab



<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75620 125,70€**  
Black  
Class III  
24VDC



**75620-3 168,80€**  
Black  
Class II  
220V-240V/50-60Hz







# Lily

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75621 168,80€**  
Black  
Class III  
24VDC



**75621-3 211,80€**  
Black  
Class II  
220V-240V/50-60Hz





# Lily

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75622 197,50€**  
Black  
Class III  
24VDC



**75622-3 240,50€**  
Black  
Class II  
220V-240V/50-60Hz





# Lily

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75620-1 156,50€**  
Black  
Class III  
24VDC



**75620-2 200,40€**  
Black  
Class II  
220V-240V/50-60Hz



# Lily

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75621-1 199,50€**  
Black  
Class III  
24VDC



**75621-2 242,60€**  
Black  
Class II  
220V-240V/50-60Hz



# Lily

Faro Lab


<b>Material Body</b>	Stainless Steel
<b>Material Diffusor</b>	Transparent Glass
<b>Power</b>	3W
<b>Lumen Output</b>	154lm
<b>Light Source</b>	COB LED
<b>Color Temperature</b>	2700K
<b>IP</b>	65
<b>IK</b>	06
<b>CRI</b>	>90
<b>Cable</b>	0.5 MT



**75622-1 228,20€**  
Black  
Class III  
24VDC



**75622-2 271,30€**  
Black  
Class II  
220V-240V/50-60Hz







# Cerler


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	9W
<b>Lumen Output</b>	427lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	4000K
<b>Dimmable K</b>	2200-2700-3200-4000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	07
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V



**71940 169,80€**  
Dark Grey



**71941 169,80€**  
Rust Brown





# Cerler


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	9W
<b>Lumen Output</b>	427lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	4000K
<b>Dimmable K</b>	2200-2700-3200-4000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	07
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V



**71942 216,00€**  
Dark Grey



**71943 216,00€**  
Rust Brown





# Espot


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	9W
<b>Lumen Output</b>	1036lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	4000K
<b>Dimmable K</b>	2200-2700-3200-4000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	07
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V
<b>Beam angle</b>	180°



**71946 174,20€**  
Dark Grey



**71947 174,20€**  
Rust Brown





Outdoor

# Espot


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	9W
<b>Lumen Output</b>	1036lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	4000K
<b>Dimmable K</b>	2200-2700-3200-4000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	07
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V
<b>Beam angle</b>	180°



**71948 200,50€**  
Dark Grey



**71949 200,50€**  
Rust Brown








# Tura

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Translucent PC
<b>Power</b>	20W
<b>Lumen Output</b>	1745lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	280°



**75545 231,60€**  
Dark Grey






Outdoor

# Tura

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Translucent PC
<b>Power</b>	28W
<b>Lumen Output</b>	3036lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	280°



**75546 303,20€**  
Dark Grey






# Tura

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Translucent PC
<b>Power</b>	48W
<b>Lumen Output</b>	4784lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	3000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	06
<b>Driver included</b>	Yes
<b>CRI</b>	90
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Beam angle</b>	280°



75547 716,40€  
Dark Grey





# Mani


<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	5W
<b>Lumen Output</b>	722lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	4000K
<b>Dimmable K</b>	2200-2700-3200-4000K
<b>Class</b>	I
<b>IP</b>	65
<b>IK</b>	07
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	220V-240V/50-60Hz
<b>Cut out (mm)</b>	66x140
<b>Cable</b>	0.3 MT



**70288 101,40€**  
White



**70289 101,40€**  
Dark Grey







Outdoor

# Cairo


<b>Material Body</b>	PC
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	2W
<b>Lumen Output</b>	120lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	III
<b>IP</b>	44
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	5VDC
<b>Beam angle</b>	180°
<b>Cable</b>	0.3 MT
<b>Battery included</b>	Yes
	4 Charge Max. 7h Worktime



**74500 50,30€**  
Black



**74501 50,30€**  
Sand





# Mavis

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	2W
<b>Lumen Output</b>	150lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	III
<b>IP</b>	54
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	5VDC
<b>Beam angle</b>	180°
<b>Cable</b>	0.3 MT
<b>Battery included</b>	Yes
	4h Charge Max. 10h Worktime




**71920 70,60€**  
Matt Black



**71921 70,60€**  
Matt White



**71923 70,60€**  
Yellow





# Mavis

<b>Material Body</b>	Aluminium
<b>Material Diffusor</b>	Transparent PC
<b>Power</b>	3W
<b>Lumen Output</b>	225lm
<b>Light Source</b>	SMD LED
<b>Color Temperature</b>	2700K
<b>Class</b>	III
<b>IP</b>	54
<b>Driver included</b>	Yes
<b>CRI</b>	≥80
<b>Voltage (V/Hz)</b>	5VDC
<b>Beam angle</b>	180°
<b>Cable</b>	0.3 MT
<b>Battery included</b>	Yes
	4h Charge Max. 10h Worktime




**71928 92,20€**  
Matt Black



**71929 92,20€**  
Matt White




**71931 92,20€**  
Yellow





# Fan





Suitable for high ceilings



2 downrods included  
127 / 305mm




Programmable 1-4-8h  
Memory function page 211



# Rotterdam 30

<b>XXL</b> ø300 <sub>CM</sub>	OVER 39 M2 200 SQ.FT	<b>DC</b> MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------------------	-------------------------	--------------------	------------------	-------------------



**34210 772,40€**  
Body Matt White  
Blades Matt White



**34211 772,40€**  
Body Matt Black  
Blades Matt Black




**with light**

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes  
Material Diff PMMA

**34210-130 839,60€**  
Body Matt White  
Blades Matt White

**34211-130 839,60€**  
Body Matt Black  
Blades Matt Black

- Material** Body Steel  
Blades Aluminium
- Programmer** 1-4-8hr
- W** 16-27-45-67-85-100
- RPM** 46-55-65-75-79-84
- Airflow** 302 m3 min
- V/Hz** 220V-240V/50-60Hz
- Accessories** 33974 DC Wall Control
- Incl. downrod** 127-305 mm
- Opt. downrod** Page 214



<b>A</b>	<b>A1</b>
475/18.7"	425/16.73"
<b>B</b>	<b>C</b>
160/6.3"	300/11.81"
<b>D</b>	<b>E</b>
65/2.6"	200/7.87"
<b>F</b>	<b>G</b>
ø3000/118.1"	1350/53.15"
<b>Downrod L</b>	<b>Downrod ø</b>
127-305/5"	26/1.02"



Suitable for high ceilings



2 downrods included  
127 / 305mm



Programmable 1-4-8h  
Memory function page 211

Rotterdam 25

<b>XXL</b> ø250 <sub>CM</sub>	OVER 39 M2 200 SQ.FT	<b>DC</b> MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------------------	-------------------------	--------------------	------------------	-------------------



**34206 734,50€**  
Body Matt White  
Blades Matt White



**34207 734,50€**  
Body Matt Black  
Blades Matt Black




**with light**

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes  
Material Diff PMMA

**34206-130 801,70€**  
Body Matt White  
Blades Matt White

**34207-130 801,70€**  
Body Matt Black  
Blades Matt Black

<b>Material</b>	<b>Body</b> Steel <b>Blades</b> Aluminium
<b>Programmer</b>	1-4-8hr
<b>W</b>	16-28-44-67-85-101
<b>RPM</b>	60-73-87-99-106-110
<b>Airflow</b>	457 m3 min
<b>V/Hz</b>	220V-240V/50-60Hz
<b>Accessories</b> ☉	33974 DC Wall Control
<b>Incl. downrod</b>	127-305 mm
<b>Opt. downrod</b>	Page 214



<b>A</b>	<b>A1</b>
475/18.7"	425/16.73"
<b>B</b>	<b>C</b>
160/6.3"	300/11.81"
<b>D</b>	<b>E</b>
65/2.6"	200/7.87"
<b>F</b>	<b>G</b>
ø2500/98.4"	1100/43.31"
<b>Downrod L</b>	<b>Downrod ø</b>
127-305/5"	26/1.02"




Suitable for high ceilings



Programmable 1-4-8h  
Memory function page 211



FSC Certified  
wooden blades



Smart option

## Bigwood 24

Faro Lab

**XXL**  
 ø240 CM


  
 > 28 M2  
 > 300 SQ.FT

**DC**  
 MOTOR

  
 SUMMER  
 WINTER


**34192 1.078,90€**  
**34192WT 1.172,20€** Tuya Smart  
**Body** Matt Black  
**Blades** Dark Walnut

**Material** **Body** Steel  
**Blades** Pine Wood  
**Programmer** 1-4-8hr  
**W** 7-11-18-26-38-57  
**RPM** 32-46-60-73-80-93  
**Airflow** 460 m3 min  
**V/Hz** 220V-240V/50-60Hz  
**Accesories** ☉ 33974 DC Wall Control  
**Incl. downrod** 200 mm  
**Opt. downrod** Page 214



A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1130/44.49"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Suitable for high ceilings



Programmable 1-4-8h  
Memory function page 211



FSC Certified  
wooden blades



Smart option

## Bigwood 20

Faro Lab

**XL**  
 Ø200 CM

  
 > 28 M2  
 > 300 SQ.FT

**DC**  
 MOTOR

  
 SUMMER  
 WINTER


34190 951,20€  
 34190WT 1.044,50€ Tuya Smart  
**Body** Matt Black  
**Blades** Dark Walnut



34191 951,20€  
 34191WT 1.044,50€ Tuya Smart  
**Body** Matt White  
**Blades** Pine

**Material** **Body** Steel  
**Blades** Pine Wood

**Programmer** 1-4-8hr

**W** 7-11-18-27-38-57

**RPM** 43-63-79-94-110-127

**Airflow** 413 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accesories** ☉ 33974 DC Wall Control

**Opt. downrod** Page 214



A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2000/78.7"	930/36.61"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Suitable for high ceilings



2 downrods included  
127 / 305mm




Programmable 1-4-8h  
Memory function page 211



# Rotterdam 20

<b>XL</b> ø200 <sub>CM</sub>	> 28 M2 > 300 SQ.FT	<b>DC</b> MOTOR	SUMMER WINTER	SLOPED CEILING
---------------------------------	------------------------	--------------------	------------------	-------------------



**34202 596,90€**  
**Body Matt White**  
**Blades Matt White**



**34203 596,90€**  
**Body Matt Black**  
**Blades Matt Black**




**with light**

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes  
 Material Diff PMMA

**34202-130 664,00€**  
**Body Matt White**  
**Blades Matt White**

**34203-130 664,00€**  
**Body Matt Black**  
**Blades Matt Black**


- Material** Body Steel  
Blades Aluminium
- Programmer** 1-4-8hr
- W** 6-9-16-26-41-61
- RPM** 48-58-71-84-95-105
- Airflow** 348 m3 min
- V/Hz** 220V-240V/50-60Hz
- Accessories** 33974 DC Wall Control
- Incl. downrod** 127-305 mm
- Opt. downrod** Page 214



<b>A</b>	<b>A1</b>
455/17.91"	395/15.55"
<b>B</b>	<b>C</b>
140/5.51"	300/11.81"
<b>D</b>	<b>E</b>
65/2.6"	200/7.87"
<b>F</b>	<b>G</b>
ø2000/78.7"	850/33.46"
<b>Downrod L</b>	<b>Downrod ø</b>
127-305/5"	26/1.02"



Programmable 1-4-8h  
Memory function page 211



Realistic wood-finish  
Abs blades



Smart option

# Outwood

Faro Lab

<b>L</b> ø150 CM	> 17,6-28 M2 190-300 SQ.FT	<b>DC</b> MOTOR	<b>DIM</b>	<b>IP</b> 44	<b>SUMMER</b> <b>WINTER</b>
---------------------	-------------------------------	--------------------	------------	-----------------	--------------------------------



**34360 525,70€**  
**34360WT 618,90€** Tuya Smart  
**34360WW 684,50€** Wiz Smart  
**Body** Dark Brown  
**Blades** Oak



**34361 525,70€**  
**34361WT 618,90€** Tuya Smart  
**34361WW 684,50€** Wiz Smart  
**Body** Matt White  
**Blades** Oak



**34362 525,70€**  
**34362WT 618,90€** Tuya Smart  
**34362WW 684,50€** Wiz Smart  
**Body** Dark Brown  
**Blades** Dark Walnut



**34363 431,40€**  
**34363WT 524,60€** Tuya Smart  
**34363WW 590,30€** Wiz Smart  
**Body** Matt White  
**Blades** Matt White

**Material** Body Steel  
**Blades** ABS

**Programmer** 1-4-8hr

**W** 5-8-12-18-25-35


**RPM** 73-92-108-127-141-152

**Airflow** 187 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accesories** ☉ 33974 DC Wall Control

**Opt. downrod** Page 214



<b>A</b>	<b>A1</b>
265/10.43"	220/8.66"
<b>B</b>	<b>C</b>
154/6.06"	100/3.94"
<b>D</b>	<b>E</b>
60/2.4"	130/5.12"
<b>F</b>	<b>G</b>
ø1320/52"	687/27.05"
<b>Downrod L</b>	<b>Downrod ø</b>
100/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h  
Memory function page 211



Realistic wood-finish  
Abs blades



Smart option

## Outwood

Faro Lab



**34360-11L 660,40€**  
**34360WT-11L 753,60€** Tuya Smart  
**34360WW-11L 819,30€** Wiz Smart  
**Body** Dark Brown  
**Blades** Oak



**34361-11L 660,40€**  
**34361WT-11L 753,60€** Tuya Smart  
**34361WW-11L 819,30€** Wiz Smart  
**Body** Matt White  
**Blades** Oak




**34362-11L 660,40€**  
**34362WT-11L 753,60€** Tuya Smart  
**34362WW-11L 819,30€** Wiz Smart  
**Body** Dark Brown  
**Blades** Dark Walnut



**34363-11L 566,20€**  
**34363WT-11L 659,40€** Tuya Smart  
**34363WW-11L 725,10€** Wiz Smart  
**Body** Matt White  
**Blades** Matt White

<b>Material</b>	<b>Body</b> Steel	<b>Light Source</b>	1 E27 max. 15W
	<b>Blades</b> ABS	<b>Bulb incl.</b>	No
<b>Programmer</b>	1-4-8hr	<b>Recom. Bulb</b>	17463
<b>W</b>	5-8-12-18-25-35	<b>Material Diff</b>	Glass
<b>RPM</b>	73-92-108-127-141-152		
<b>Airflow</b>	187 m3 min		
<b>V/Hz</b>	220V-240V/50-60Hz		
<b>Accessories</b> ☉	33974 DC Wall Control		
<b>Opt. downrod</b>	Page 214		



<b>A</b>	<b>A1</b>
430/16.93"	220/8.66"
<b>B</b>	<b>C</b>
320/12.6"	100/3.94"
<b>D</b>	<b>E</b>
60/2.4"	130/5.12"
<b>F</b>	<b>G</b>
ø1500/59.1"	687/27.05"
<b>Downrod L</b>	<b>Downrod ø</b>
100/3.94"	26/1.02"



Reversible blades



FSC Certified plywood blades



Programmable 1-4-8h  
Memory function page 211



Smart option

## Rudder L 4

Faro Lab



34355 374,10€  
 34355WT 467,50€ Tuya Smart  
 34355WW 533,10€ Wiz Smart  
 Body Matt White  
 Blades Ash Wood + Matt White



34356 374,10€  
 34356WT 467,50€ Tuya Smart  
 34356WW 533,10€ Wiz Smart  
 Body Matt Black  
 Blades Walnut + Matt Black

**Material** Body Aluminium  
 Blades Plywood

**Programmer** 1-4-8hr

**W** 5-7-11-17-24-35

**RPM** 83-110-136-158-180-200

**Airflow** 174 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accesories** 33974 DC Wall Control

**Opt. downrod** Page 214



<b>A</b>	<b>A1</b>
232/9.13"	180/7.09"
<b>B</b>	<b>C</b>
80/3.15"	150/5.91"
<b>D</b>	<b>E</b>
60/2.4"	130/5.12"
<b>F</b>	<b>G</b>
ø1320/52"	630/24.8"
<b>Downrod L</b>	<b>Downrod ø</b>
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h  
Memory function page 211



Smart option



## Rudder L 4

Faro Lab



34355-1TW 452,10€  
 34355WT-1TW 545,40€ Tuya Smart  
 34355WW-1TW 611,00€ Wiz Smart  
 Body Matt White  
 Blades Ash Wood + Matt White



34356-1TW 452,10€  
 34356WT-1TW 545,40€ Tuya Smart  
 34356WW-1TW 611,00€ Wiz Smart  
 Body Matt Black  
 Blades Walnut + Matt Black

<b>Material</b>	<b>Body</b> Aluminium	<b>Power</b>	20W
	<b>Blades</b> Plywood	<b>Lumen Output</b>	806 lm
<b>Programmer</b>	1-4-8hr	<b>Light Source</b>	SMD LED
<b>W</b>	5-7-11-17-24-35	<b>Dimmable K</b>	2700 - 4000 - 6000K
<b>RPM</b>	83-110-136-158-180-200	<b>CRI</b>	85
<b>Airflow</b>	174 m3 min	<b>Driver incl.</b>	Yes
<b>V/Hz</b>	220V-240V/50-60Hz	<b>Material Diff</b>	PC
<b>Accessories</b> ☉	33974 DC Wall Control		
<b>Opt. downrod</b>	Page 214		



<b>A</b>	<b>A1</b>
257/10.12"	178/7.01"
<b>B</b>	<b>C</b>
142/5.59"	150/5.91"
<b>D</b>	<b>E</b>
60/2.4"	130/5.12"
<b>F</b>	<b>G</b>
ø1320/52"	585/23.03"
<b>Downrod L</b>	<b>Downrod ø</b>
100/3.94"	26/1.02"



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h  
Memory function page 211



Smart option

# Heywood Tub L

Faro Lab

<b>L</b> Ø132 CM	> 17.6-28 M2 190-300 SQ.FT	<b>DC</b> MOTOR	SUMMER WINTER	DIRECT CEILING MOUNTING
---------------------	-------------------------------	--------------------	------------------	-------------------------------



**33838** 430,50€  
**33838WT** 523,80€ Tuya Smart  
**Body** Matt White  
**Blades** Pine



**33839** 430,50€  
**33839WT** 523,80€ Tuya Smart  
**Body** Matt Black  
**Blades** Dark Walnut

**Material** **Body** Aluminium  
**Blades** Pine Wood

**Programmer** 1-4-8hr


**W** 4-5-8-13-23-32

**RPM** 58-75-94-124-152-173

**Airflow** 175 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** ☉ 33974 DC Wall Control



<b>A</b>	<b>A1</b>
190/7.48"	151/5.94"
<b>B</b>	<b>C</b>
	130/5.12"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø900/35.4"	582/22.91"
<b>Downrod L</b>	<b>Downrod ø</b>




Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h  
Memory function page 211



Smart option

# Heywood Tub L

Faro Lab

<b>L</b> ø132 CM	> 17.6-28 M2 190-300 SQ.FT	<b>DC</b> MOTOR	<b>DIM</b>	<b>SUMMER</b> <b>WINTER</b>	<b>DIRECT</b> <b>CEILING</b> <b>MOUNTING</b>
---------------------	-------------------------------	--------------------	------------	--------------------------------	--



**33838-1TW** 486,20€  
**33838WT-1TW** 579,50€ Tuya Smart  
**Body** Matt White  
**Blades** Pine



**33839-1TW** 486,20€  
**33839WT-1TW** 579,50€ Tuya Smart  
**Body** Matt Black  
**Blades** Dark Walnut

<b>Material</b>	<b>Body</b> Aluminium	<b>Power</b>	10W
	<b>Blades</b> Pine Wood	<b>Lumen Output</b>	480 lm
<b>Programmer</b>	1-4-8hr	<b>Light Source</b>	SMD LED
<b>W</b>	4-5-8-13-23-32	<b>Dimmable K</b>	2700 - 4000 - 6000K
<b>RPM</b>	58-75-94-124-152-173	<b>CRI</b>	>80
<b>Airflow</b>	175 m3 min	<b>Driver incl.</b>	Yes
<b>V/Hz</b>	220V-240V/50-60Hz	<b>Material Diff</b>	PP
<b>Accessories</b> ☉	33974 DC Wall Control		



<b>A</b>	<b>A1</b>
232/9.13"	151/5.94"
<b>B</b>	<b>C</b>
	130/5.12"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø900/35.4"	582/22.91"
<b>Downrod L</b>	<b>Downrod ø</b>



Suitable for low ceilings



Smart option


# Hey Tub

Faro Lab

<b>S</b> ø90 CM	< 13 M2 < 140 SQ.FT	<b>DC</b> MOTOR	SUMMER WINTER	EASY INSTALL	DIRECT CEILING MOUNTING
--------------------	------------------------	--------------------	------------------	-----------------	-------------------------------



**33826 282,80€**  
**33826WT 376,20€** Tuya Smart  
**Body** Matt White  
**Blades** Matt White



**33827 282,80€**  
**33827WT 376,20€** Tuya Smart  
**Body** Matt Black  
**Blades** Matt Black

**Material** Body Aluminium  
 Blades ABS

**Programmer** 1-4-8hr


**W** 4-7-10-16-22-30

**RPM** 110-162-197-238-267-300


**Airflow** 148 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accesories** ☉ 33974 DC Wall Control



<b>A</b>	<b>A1</b>
190/7.48"	151/5.94"
<b>B</b>	<b>C</b>
	130/5.12"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø900/35.4"	371/14.61"
<b>Downrod L</b>	<b>Downrod ø</b>



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h Memory function page 211



Smart option



# Heywood Tub S

Faro Lab

<b>S</b> ø90 CM	 < 13 M2 < 140 SQ.FT	<b>DC</b> MOTOR	 SUMMER WINTER	 EASY INSTALL	 DIRECT CEILING MOUNTING
--------------------	----------------------------	--------------------	----------------------	---------------------	-----------------------------------



**33836 408,80€**  
**33836WT 502,10€** Tuya Smart  
**Body** Matt White  
**Blades** Pine



**33837 408,80€**  
**33837WT 502,10€** Tuya Smart  
**Body** Matt Black  
**Blades** Dark Walnut

**Material** Body Aluminium  
 Blades ABS

**Programmer** 1-4-8hr


**W** 4-7-10-16-22-30

**RPM** 110-162-197-238-267-300

**Airflow** 148 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accesories** ☉ 33974 DC Wall Control



<b>A</b>	<b>A1</b>
190/7.48"	151/5.94"
<b>B</b>	<b>C</b>
	130/5.12"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø900/35.4"	371/14.61"
<b>Downrod L</b>	<b>Downrod ø</b>



Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h  
Memory function page 211



Smart option

# Heywood Tub S

Faro Lab

<b>S</b> ø90 CM	 < 13 M2 < 140 SQ.FT	<b>DC</b> MOTOR	 DIM	 EASY INSTALL	 DIRECT CEILING MOUNTING
--------------------	----------------------------	--------------------	---------	---------------------	-----------------------------------



33836-1TW 469,00€  
 33836WT-1TW 562,30€ Tuya Smart  
 Body Matt White  
 Blades Pine



33837-1TW 469,00€  
 33837WT-1TW 562,30€ Tuya Smart  
 Body Matt Black  
 Blades Dark Walnut


<b>Material</b>	Body Aluminium Blades Pine Wood	<b>Power</b>	10W
<b>Programmer</b>	1-4-8hr	<b>Lumen Output</b>	480 lm
<b>W</b>	4-7-10-16-22-30	<b>Light Source</b>	SMD LED
<b>RPM</b>	110-162-197-238-267-300	<b>Dimmable K</b>	2700 - 4000 - 6000K
<b>Airflow</b>	148 m3 min	<b>CRI</b>	>80
<b>V/Hz</b>	220V-240V/50-60Hz	<b>Driver incl.</b>	Yes
<b>Accesories</b>	33974 DC Wall Control	<b>Material Diff</b>	PP



<b>A</b>	<b>A1</b>
232/9.13"	151/5.94"
<b>B</b>	<b>C</b>
	130/5.12"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø900/35.4"	371/14.61"
<b>Downrod L</b>	<b>Downrod ø</b>



Suitable for low ceilings



Adjustable color temperature



Smart option

# Klover


Faro Lab

<b>S</b> Ø80 CM	 < 13 M2 < 140 SQ.FT	<b>DC</b> MOTOR	 DIM	 SUMMER WINTER	 DIRECT CEILING MOUNTING	 EASY INSTALL
--------------------	----------------------------	--------------------	---------	----------------------	-----------------------------------	---------------------



34315 392,30€  
 34315WT 485,70€ Tuya Smart  
 34315WW 551,20€ Wiz Smart  
 Body Matt White  
 Blades Matt White


<b>Material</b>	<b>Body</b> Aluminium	<b>Power</b>	18W
	<b>Blades</b> ABS	<b>Lumen Output</b>	831 lm
<b>Programmer</b>	1-4-8hr	<b>Light Source</b>	SMD LED
<b>W</b>	5-6-8-10-13-18	<b>Dimmable K</b>	2700 - 4000 - 6000K
<b>RPM</b>	132-169-201-233-264-300	<b>CRI</b>	>80
<b>Airflow</b>	122 m3 min	<b>Driver incl.</b>	Yes
<b>V/Hz</b>	220V-240V/50-60Hz	<b>Material Diff</b>	PP
<b>Accessories</b> ☉	33974 DC Wall Control		



<b>A</b>	<b>A1</b>
223/8.78"	151/5.94"
<b>B</b>	<b>C</b>
73/2.87"	150/5.91"
<b>D</b>	<b>E</b>
151/5.9"	120/4.72"
<b>F</b>	<b>G</b>
ø800/31.5"	320/12.6"
<b>Downrod L</b>	<b>Downrod ø</b>

# DC WALL CONTROLLER WITH DIMMER

This wall control for DC motor fans features an updated front design with borderless organic glass, designed to fit in standard recessed box, either round or square. It also supports a light dimming function and connects wirelessly to the fan via radiofrequency.





Ref. 33988  
Front Glossy Black  
Body Matt Black



Ref. 33987  
Front Glossy White  
Body Matt White

**Material** Body ABS  
**V/Hz** 100-240V/50-60Hz



Compatible with standard recessed box

# ONE CONTROL FOR ALL

Compatible with all DC wall controller

This remote control incorporates several memory options, that is to say, the fan will be able to remember certain configuration types: light memory, fan memory, confirmation sound and keypad lock. This allows for greater customization.



The light and fan memory, sound confirmation block, and keypad lock come deactivated by default, so if you wish to activate them, you will need to follow the steps below. If you have activated them and want to revert it, you can follow the same steps.

- 1 After its installation and complete assembly, cut off the power to the fan for at least 10 seconds.
- 2 Insert the batteries into the remote control.
- 3 Reconnect the fan to the power. The receiver will be active for synchronization only during the 30 seconds after reconnecting the power.

- 4 Press and hold the following button, depending on the configuration you need, until a continuous beep of about 2 seconds is heard.
  - BUTTON 1:** Light kit memory: the fan will remember the last configuration.
  - BUTTON 3:** Confirmation sound block: it will avoid hearing any "beeps" when using the fan.
  - BUTTON 4:** Keypad lock: you can lock the keypad, except for the on/off button. Ideal for hotels and homes with children.
  - BUTTON 6:** Fan memory: the fan will remember the last configuration once it is turned on, including speed, reverse and breeze modes.

**\*Special configurations**

00000000	00	000000	00
0000000000	00	00000000	00
000000000000	00	0000000000	00
00000000000000	00	000000000000	00
0000000000000000	00	00000000000000	00
000000000000000000	00	0000000000000000	00
00000000000000000000	00	000000000000000000	00
0000000000000000000000	00	00000000000000000000	00





# Architectural



NEW

# ELIOS


The ELIOS downlight family is designed to offer versatility and efficiency in any space. With three available power options and an IP54 rating, this family adapts to a variety of needs. Its range of reflectors, from simple fixed models to versions with decorative details, allows for customization according to the environment. Equipped with the latest LED technology, ELIOS ensures superior energy performance. Additionally, the range includes adjustable versions, wallwashers, and both single and double frames, providing complete solutions for any architectural project.

La familia de downlights ELIOS ha sido diseñada para ofrecer versatilidad y eficiencia en cualquier espacio. Con tres potencias disponibles y la opción de IP54, esta familia se adapta a diversas necesidades. Su variedad de reflectores, que van desde el simple fijo hasta versiones con detalles decorativos, permiten personalizar el diseño según el ambiente. Equipados con la última tecnología LED, los ELIOS garantizan un rendimiento energético superior. Además, la gama incluye versiones orientables, wallwasher, y marcos tanto individuales como dobles, ofreciendo soluciones completas para cualquier proyecto arquitectónico.









**FINISH**  
Acabado

- Black**  
Negro
- White**  
Blanco

**COLOR TEMPERATURE**  
Temperatura de color

- 2700K CRI90
- 3000K CRI90
- 4000K CRI90
- 2400-6500K THRIVE

**BEAM ANGLE**  
Ángulo de apertura



**ACCESSORIES**  
Accesorios

- |   |   |   |
|---|---|---|
|  |  |  |
| Honeycomb   | Striped glass   | Woven glass   |


**CONTROL SYSTEM**  
Sistema de control




# Highlights

**ELIOS incorporates LED technology that offers a balance between visual comfort and high efficiency, maintaining a CRI of 90 thanks to the use of next-generation LEDs. Additionally, it includes the TW option with Thrive technology, which promotes a focus on healthy lighting. All variants are available with IP20 and IP54 protection ratings.**

ELIOS incorpora una tecnología LED que ofrece un equilibrio entre confort visual y alta eficiencia, manteniendo un CRI 90 gracias al uso de LEDs de última generación. Además, cuenta con la opción TW con tecnología Thrive, que promueve un enfoque hacia una iluminación saludable. Todas las variantes están disponibles con grados de protección IP20 e IP54.



**High Efficiency CRI90**  
Alta eficiencia




**Thrive Technology**  
Tecnología Thrive



**Tunable White**



**Optional IP54**  
Opción IP54



**Visual Confort**  
Confort visual





**Trim White**



**Trim Black**



**Trimless**



**Double White**



**Double Black**



**Double Trimless White**



**Double Trimless Black**



**Honeycomb**



**Woven Glass**



**Striped Glass**

# Accessories

<b>Honeycomb</b> 0700PP0001	<b>Woven Glass</b> 0700PP0002	<b>Striped Glass</b> 0700PP0003	<b>Trimless</b> 0700PP0301	<b>Trim White</b> 0700PP0303
<b>Trim Black</b> 0700PP0304	<b>Double White</b> 0700PP0305	<b>Double Black</b> 0700PP0306	<b>Double Trimless White</b> 0700PP0307	<b>Double Trimless Black</b> 0700PP0308





**Residential**



**Hotel**



**Restaurant**


## Beam Angle



**15°**




**24°**



**36°**



**50°**



**Asym°**

# ELIOS FIX MODULE



incl. DIM 50.000hs L70 / B10 MacAdam 3 220-240V 650°C



## 1. CONFIGURE YOUR MODULE

Family	IP	Power	Color T°	Beam Angle	Finish	Control System		
0700 Elios Fix Module	2	IP20	7 7W	927 2700K CRI90	1 15°	1 White	W CASAMBI	
			1 10W	930 3000K CRI90	2 24°	2 Black	D DALI	
			5 15W	940 4000K CRI90	3 36°		C TRIAC	
		5	IP54	1 10W	930 3000K CRI90	4 48°	2 Black	ON/OFF
				5 15W	940 4000K CRI90	5 50°		
							W CASAMBI	
							D DALI	

0700 2 7 927 1 1 W

Example 07002792711W — Elios Fix Module IP20 7W 2700K CRI90 15° White Casambi



## 2. CHOOSE YOUR TRIM

Trim White 0700PP0303	Trim Black 0700PP0304	Trimless 0700PP0301	Double White 0700PP0305	Double Black 0700PP0306	Double Trimless White 0700PP0307	Double Trimless Black 0700PP0308

## 3. FINAL CONFIGURATIONS OF MODULES AND TRIMS

Examples of combinations module + trim

Examples				
	07002792722W + 0700PP0303	07002792722W + 0700PP0301	2x 07002792722W + 0700PP0305	2x 07002792722W + 0700PP0308
Examples				
	07002792712W + 0700PP0303	07002792712W + 0700PP0301	2x 07002792712W + 0700PP0305	2x 07002792722W + 0700PP0307



15°

24°

36°

50°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	7W	538lm / 553lm / 597lm / 576lm	15° / 24° / 36° / 50°
			10W	804lm / 827lm / 892lm / 861lm	15° / 24° / 36° / 50°
			15W	1075lm / 1106lm / 1193lm / 1152lm	15° / 24° / 36° / 50°
930	3000K	90	7W	554lm / 557lm / 615lm / 594lm	15° / 24° / 36° / 50°
			10W	828lm / 853lm / 920lm / 888lm	15° / 24° / 36° / 50°
			15W	1107lm / 1140lm / 1130lm / 1187lm	15° / 24° / 36° / 50°
940	4000K	90	7W	571lm / 588lm / 634lm / 612lm	15° / 24° / 36° / 50°
			10W	854lm / 879lm / 948lm / 915lm	15° / 24° / 36° / 50°
			15W	1141lm / 1175lm / 1267lm / 1223lm	15° / 24° / 36° / 50°
TW	2700K-6500K	THRIVE	10W	611lm / 630lm / 679lm / 655lm	15° / 24° / 36° / 50°

# ELIOS ORIENTABLE MODULE



- incl.
- DIM
- 355°
- 25°
- 50.000hs L70 / B10
- MacAdam 3
- 220-240V
- 650°C



## 1. CONFIGURE YOUR MODULE

Family	IP	Power	Color T°	Beam Angle	Finish	Control System	
0701 Elios Orientable Module	2	IP20	7 7W	927 2700K CRI90	1 15°	1 White	W CASAMBI
			1 10W	930 3000K CRI90	2 24°	2 Black	D DALI
			5 15W	940 4000K CRI90	3 36°		C TRIAC
	5	IP54	1 10W	930 3000K CRI90	4 45°	2 Black	ON/OFF
			5 15W	940 4000K CRI90	5 50°		
				TW 2400-6500K THRIVE			W CASAMBI
							D DALI

0701 2 7 927 1 1 W

Example 07012792711W — Elios Orientable Module IP20 7W 2700K CRI90 15° White Casambi



## 2. CHOOSE YOUR TRIM

Trim White 0700PP0303	Trim Black 0700PP0304	Trimless 0700PP0301	Double White 0700PP0305	Double Black 0700PP0306	Double Trimless White 0700PP0307	Double Trimless Black 0700PP0308

## 3. FINAL CONFIGURATIONS OF MODULES AND TRIMS

Examples of combinations module + trim

Examples 07015793012D + 0700PP0303	07015593012D + 0700PP0301	2x 07015593012D + 0700PP0306	2x 07015593011 + 0700PP0307
Examples 07015793011D + 0700PP0303	07015593011D + 0700PP0301	2x 07015593012D + 0700PP0305	2x 07015593011 + 0700PP0308



Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	7W	519lm / 539lm / 617lm / 549lm	15° / 24° / 36° / 50°
			10W	705lm / 863lm / 891lm / 936lm	15° / 24° / 36° / 50°
			15W	917lm / 1124lm / 1160lm / 1088lm	15° / 24° / 36° / 50°
930	3000K	90	7W	475lm / 582lm / 600lm / 564lm	15° / 24° / 36° / 50°
			10W	726lm / 890lm / 918lm / 862lm	15° / 24° / 36° / 50°
			15W	946lm / 1159lm / 1195lm / 1122lm	15° / 24° / 36° / 50°
940	4000K	90	7W	489lm / 599lm / 618lm / 580lm	15° / 24° / 36° / 50°
			10W	748lm / 917lm / 946lm / 888lm	15° / 24° / 36° / 50°
			15W	974lm / 1193lm / 1231lm / 1156lm	15° / 24° / 36° / 50°
TW	2700K-6500K	THRIVE	10W	522lm / 639lm / 660lm / 619lm	15° / 24° / 36° / 50°



COFFEE

FLAT WHITE

35

DIRTY

35

CAPPUCCINO

35

HONEYCOM

35

AMERICANO

28

MATCHA LATTE

32

ESPRESSO

20

BLACK TEA LATTE

33

LATTE

35

OSMANTHUS LATTE

32

MACCHIATOE

35

BLACK SUGAR LATTE

32

SALT COFFEE

35

SALT CHEESE COFFEE

30



# ELIOS TUBE MODULE

NEW

incl. DIM 355° 25° 50.000hs L70 / B10 MacAdam 3 220-240V 650°C



## 1. CONFIGURE YOUR MODULE

Family	IP	Power	Color T°	Beam Angle	Finish	Control System	
0702 Elios Tube Module	2	IP20	7 7W	927 2700K CRI90	1 15°	1 White	W CASAMBI
			1 10W	930 3000K CRI90	2 24°	2 Black	D DALI
			5 15W	940 4000K CRI90	3 36°		C TRIAC
	5	IP54	1 10W	930 3000K CRI90	4 48°	2 Black	ON/OFF
			5 15W	940 4000K CRI90	5 50°		
				TW 2400-6500K THRIVE			W CASAMBI
							D DALI

0702 2 7 927 1 1 1 W

Example 07022792711W — Elios Tube Module IP20 7W 2700K CRI90 15° White Casambi

## 2. CHOOSE YOUR TRIM



Trim White 0700PP0303	Trim Black 0700PP0304	Trimless 0700PP0301	Double White 0700PP0305	Double Black 0700PP0306	Double Trimless White 0700PP0307	Double Trimless Black 0700PP0308

## 3. FINAL CONFIGURATIONS OF MODULES AND TRIMS

Examples of combinations module + trim

Examples 070221TW22D + 0700PP0303	070221TW22D + 0700PP0301	2x 070221TW22D + 0700PP0305	2x 070221TW22D + 0700PP0307
Examples 070221TW11D + 0700PP0303	070221TW11D + 0700PP0301	2x 070221TW11D + 0700PP0306	2x 070221TW11D + 0700PP0308





15°

24°

36°

50°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	7W	461lm / 565lm / 611lm / 519lm	15° / 24° / 36° / 50°
			10W	599lm / 734lm / 794lm / 675lm	15° / 24° / 36° / 50°
			15W	801lm / 983lm / 1062lm / 902lm	15° / 24° / 36° / 50°
930	3000K	90	7W	475lm / 582lm / 630lm / 535lm	15° / 24° / 36° / 50°
			10W	618lm / 757lm / 819lm / 696lm	15° / 24° / 36° / 50°
			15W	826lm / 1013lm / 1095lm / 930lm	15° / 24° / 36° / 50°
940	4000K	90	7W	489lm / 600lm / 649lm / 522lm	15° / 24° / 36° / 50°
			10W	637lm / 780lm / 844lm / 717lm	15° / 24° / 36° / 50°
			15W	851lm / 1045lm / 1130lm / 958lm	15° / 24° / 36° / 50°
TW	2700K-6500K	THRIVE	10W	456lm / 560lm / 605lm / 513lm	15° / 24° / 36° / 50°





# ELIOS BELL MODULE



incl. DIM 50.000hs L70 / B10 MacAdam 3 220-240V 650°C



## 1. CONFIGURE YOUR MODULE

Family	IP	Power	Color T°	Beam Angle	Finish	Control System	
0703 Elios Bell Module	2 IP20	7 7W	927 2700K CRI90	1 15°	1 White	W CASAMBI	
		1 10W	930 3000K CRI90	2 24°	2 Black	D DALI	
		5 15W	940 4000K CRI90	3 36°		C TRIAC	
	5 IP54				5 50°		ON/OFF

TW 2400-6500K THRIVE

W CASAMBI  
D DALI

## 2. CHOOSE YOUR TRIM



Trim White  
0700PP0303



Trim Black  
0700PP0304



Trimless  
0700PP0301

## 3. FINAL CONFIGURATIONS OF MODULES AND TRIMS

Examples of combinations module + trim



Examples 07035794032C + 0700PP0303





07035794031C + 0700PP0303




07035794032C + 0700PP0301




07035794031C + 0700PP0301




15°



24°



36°



50°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	7W	532lm / 551lm / 592lm / 578lm	15° / 24° / 36° / 50°
			10W	789lm / 817lm / 878lm / 858lm	15° / 24° / 36° / 50°
			15W	1065lm / 1104lm / 1185lm / 1158lm	15° / 24° / 36° / 50°
930	3000K	90	7W	548lm / 568lm / 610lm / 596lm	15° / 24° / 36° / 50°
			10W	813lm / 843lm / 905lm / 885lm	15° / 24° / 36° / 50°
			15W	1097lm / 1137lm / 1222lm / 1194lm	15° / 24° / 36° / 50°
940	4000K	90	7W	564lm / 585lm / 628lm / 614lm	15° / 24° / 36° / 50°
			10W	837lm / 866lm / 932lm / 911lm	15° / 24° / 36° / 50°
			15W	1131lm / 1172lm / 1258lm / 1230lm	15° / 24° / 36° / 50°
TW	2700K-6500K	THRIVE	10W	606lm / 628lm / 675lm / 659lm	15° / 24° / 36° / 50°





# ELIOS WALL WASHER MODULE



incl. DIM 50.000hs L70 / B10 MacAdam 3 220-240V 650°C



## 1.CONFIGURE YOUR MODULE

Family	IP	Power	Color T°	Beam Angle	Finish	Control System	
0704 Elios Wall Washer Module	2	IP20	7 7W	927 2700K CRI90	1 15°	1 White	W CASAMBI
			1 10W		2 24°	2 Black	D DALI
			5 15W		3 36°		C TRIAC
	5	IP54		930 3000K CRI90	4 45°		ON/OFF
					5 50°		

TW 2400-6500K THRIVE

W CASAMBI  
D DALI

## 2.CHOOSE YOUR TRIM



Trim White  
0700PP0303



Trim Black  
0700PP0304



Trimless  
0700PP0301

## 3.FINAL CONFIGURATIONS OF MODULES AND TRIMS

Examples of combinations module + trim



Examples

07042793022W  
+ 0700PP0303



07042793011W  
+ 0700PP0303













07042793022W  
+ 0700PP0301



07042793011W  
+ 0700PP0301






15°


24°

36°

50°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	7W	293lm / 306lm / 315lm / 296lm	15° / 24° / 36° / 50°
			10W	448lm / 467lm / 482lm / 452lm	15° / 24° / 36° / 50°
			15W	583lm / 608lm / 628lm / 589lm	15° / 24° / 36° / 50°
930	3000K	90	7W	302lm / 315lm / 325lm / 305lm	15° / 24° / 36° / 50°
			10W	461lm / 481lm / 497lm / 466lm	15° / 24° / 36° / 50°
			15W	601lm / 627lm / 647lm / 607lm	15° / 24° / 36° / 50°
940	4000K	90	7W	311lm / 324lm / 335lm / 314lm	15° / 24° / 36° / 50°
			10W	476lm / 496lm / 512lm / 480lm	15° / 24° / 36° / 50°
			15W	619lm / 646lm / 666lm / 625lm	15° / 24° / 36° / 50°
TW	2700K-6500K	THRIVE	10W	332lm / 346lm / 357lm / 335lm	15° / 24° / 36° / 50°








# ALIA



The ALIA downlight stands out for its compact design, making it ideal for installations that require a low recess depth. Its innovative hinge allows for a 90-degree pivot, making it the perfect choice for illuminating artwork or other focal points in a space. ALIA is a product with a very specific function, designed to provide precise and efficient solutions in projects that demand focused and versatile lighting.

El downlight ALIA se distingue por su diseño compacto, ideal para instalaciones que requieren una baja cota de empotramiento. Su innovadora bisagra permite un giro de 90 grados, lo que lo convierte en la opción perfecta para iluminar cuadros u otros elementos destacados en el espacio. ALIA es un producto con una función muy específica, diseñado para ofrecer soluciones precisas y eficientes en proyectos que demandan una iluminación dirigida y versátil.





**FINISH**  
Acabado

● **Black**  
Negro

○ **White**  
Blanco

**COLOR TEMPERATURE**  
Temperatura de color

2700K CRI90

3000K CRI90

**BEAM ANGLE**  
Ángulo de apertura

15°

24°

36°

50°

**CONTROL SYSTEM**  
Sistema de control



CASAMBI



# Highlights



## LOW height ceiling Altura de techo baja

**This luminaire is designed for low ceiling applications, offering flexibility with various color temperature options to adapt to different settings. It ensures high efficiency, promoting energy savings and sustainability. Additionally, it features connectivity capabilities, allowing integration with modern control systems for enhanced functionality.**

Esta luminaria está diseñada para aplicaciones con techos bajos, ofreciendo flexibilidad con varias opciones de temperatura de color para adaptarse a diferentes entornos. Garantiza una alta eficiencia, promoviendo el ahorro de energía y la sostenibilidad. Además, cuenta con capacidades de conectividad, permitiendo la integración con sistemas de control modernos para una funcionalidad mejorada.



**Several color temperatures**  
Varias temperaturas de color



**High Efficiency**  
Alta eficacia



**Connectivity**  
Conectividad





**Residential**



**Restaurant**

## Beam Angle



**15°**



**24°**



**36°**





**50°**

# ALIA 8W

NEW


incl. DIM 50.000hs L80 / B10 MacAdam 3 220-240V 650°C




Family	Color T°	Beam Angle	Finish	Control System
<b>0800</b> Alia 8W	<b>927</b> 2700K CRI90	<b>1</b> 15°	<b>1</b> White	<b>W</b> CASAMBI
<b>0801</b> Alia Trimless 8W	<b>930</b> 3000K CRI90	<b>2</b> 24°	<b>2</b> Black	<b>D</b> DALI
		<b>3</b> 36°		<b>C</b> TRIAC
		<b>5</b> 50°		<b>ON/OFF</b>

**0800**      **927**      **1**      **1**      **W**


Example **080092711W** — Alia Downlight 8W 2700K CRI90 15° White Casambi




15°



24°



36°



50°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	8W	687lm / 717lm / 1000lm / 831lm	15° / 24° / 36° / 50°
930	3000K	90	8W	708lm / 738lm / 1030lm / 856lm	15° / 24° / 36° / 50°
940	4000K	90	8W	731lm / 760lm / 1062lm / 884lm	15° / 24° / 36° / 50°




# IZAR




The IZAR model is characterized by its adjustable tilt angle, allowing precise light direction to highlight specific elements. This accent lighting design is perfect for projects that require exact control of the light focus. With a modern and functional style, IZAR is the ideal solution for those looking to emphasize architectural or decorative details with efficient and flexible lighting.

El modelo IZAR se caracteriza por su capacidad de ajuste en el ángulo de inclinación, lo que permite dirigir la luz con precisión para resaltar elementos específicos. Este diseño de iluminación de acento es perfecto para proyectos que requieren un control exacto del enfoque lumínico. Con un estilo moderno y funcional, IZAR se convierte en una solución ideal para quienes buscan destacar detalles arquitectónicos o decorativos con una iluminación eficiente y flexible.







**FINISH**  
Acabado

● **Black**  
Negro

○ **White**  
Blanco

**COLOR TEMPERATURE**  
Temperatura de color

2700K CRI90

3000K CRI90

**BEAM ANGLE**  
Ángulo de apertura

15°


**CONTROL SYSTEM**  
Sistema de control



CASAMBI



# Highlights



**Diferent heights and angles**  
Diferentes alturas y ángulos




**Several color temperatures**  
Varias temperaturas de color



**Conectivity**  
Conectividad





**Retail**



**Residential**


## Beam Angle






**15°**

# IZAR DOWNLIGHT

**NEW**




- incl.
- DIM
- 355°
- 50.000hs  
L80 / B10
- MacAdam  
3
- 220-  
240V
- 650°C



Family	Color T°	Beam Angle	Finish	Control System
<b>0900</b> Izar 8W	<b>927</b> 2700K CRI90	<b>1</b> 15°	<b>1</b> White	<b>W</b> CASAMBI
<b>0901</b> Izar Trimless 8W	<b>930</b> 3000K CRI90		<b>2</b> Black	<b>D</b> DALI
				<b>C</b> TRIAC
				<b>ON/OFF</b>

**0900**      **927**      **1**      **1**      **W**

Example **090092711W** — Alia Downlight 8W 2700K CRI90 15° White Casambi



**15°**


Option	Color T°	CRI	Power	Lumen Output
927	2700K	90	8W	288lm
930	3000K	90	8W	235lm
940	4000K	90	8W	243lm




# TROOP 4L

NEW


no incl. DIM 50.000hs L70 / B10 MacAdam 3 700mA 14.28V 650°C UGR <16




Family	Color T°	Beam Angle	Trim	Anti-Glare
43712 Troop Trim 4x2W	927 2700K CRI90	1 15°	1 White	1 White
	930 3000K CRI90	3 36°	2 Black	2 Black
	940 4000K CRI90	4 48°		4 Gold
43713 Troop Trimless 4x2W	927 2700K CRI90	1 15°	0 Trimless	1 White
	930 3000K CRI90	3 36°		2 Black
	940 4000K CRI90	4 48°		4 Gold



15°



36°



48°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	4x2W	488lm / 701lm / 708lm	15° / 36° / 48°
930	3000K	90	4x2W	503lm / 723lm / 730lm	15° / 36° / 48°
940	4000K	90	4x2W	712lm / 891lm / 878lm	15° / 36° / 48°


Driver not included. See recommended drivers on page 490-491  
 Driver no incluido. Ver drivers recomendados en página 490-491

# TROOP 5L


no incl. DIM 50.000hs L70 / B10 MacAdam 3 700mA 14.28V 650°C UGR <16




Family	Color T°	Beam Angle	Trim	Anti-Glare
43702 Troop Trim 5x2W	927 2700K CRI90	1 15°	1 White	1 White
	930 3000K CRI90	3 36°	2 Black	2 Black
	940 4000K CRI90	4 48°		4 Gold
43706 Troop Trimless 5x2W	927 2700K CRI90	1 15°	0 Trimless	1 White
	930 3000K CRI90	3 36°		2 Black
	940 4000K CRI90	4 48°		4 Gold



15°



36°



48°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	5x2W	672lm / 841lm / 828lm	15° / 36° / 48°
930	3000K	90	5x2W	692lm / 866lm / 853lm	15° / 36° / 48°
940	4000K	90	5x2W	712lm / 891lm / 878lm	15° / 36° / 48°

Driver not included. See recommended drivers on page 490-491  
 Driver no incluido. Ver drivers recomendados en página 490-491



# KIMO

NEW




KIMO is a downlight of up to 30W, designed for both accent and general lighting. It is ideal for illuminating spaces with high ceilings, such as car dealerships or entrance halls, providing efficient and powerful lighting to enhance large areas. KIMO combines functionality with versatility, making it a perfect choice for spaces that demand performance

KIMO es un downlight de hasta 30W, diseñado tanto para iluminación de acento como general. Es ideal para iluminar espacios con techos altos, como concesionarios o halls de entrada, proporcionando una iluminación eficiente y potente para realzar grandes áreas. KIMO combina funcionalidad y versatilidad, siendo la elección perfecta para espacios que requieren un rendimiento destacado.







**FINISH**  
Acabado

● **Black**  
Negro

○ **White**  
Blanco

**COLOR TEMPERATURE**  
Temperatura de color

2700K CRI90

3000K CRI90

4000K CRI90

**BEAM ANGLE**  
Ángulo de apertura

12°

36°

60°

24°


**CONTROL SYSTEM**  
Sistema de control



CASAMBI



# Highlights



**Visual Confort**  
Confort visual



**Conectivity**  
Conectividad



**Several color temperatures**  
Varias temperaturas de color



**Residential**



**Office**

## Beam Angle



**12°**




**24°**



**36°**




**60°**




Family	Power	Color T°	Beam Angle	Finish	Control System
0360 Kimo	1 15W	927 2700K CRI90	1 15°	1 White	W CASAMBI
	2 30W	930 3000K CRI90	2 24°	2 Black	D BALI
		940 4000K CRI90	3 36°		C TRIAC
			6 60°		ON/OFF
0360	1	927	1	1	W


Example **0360192711W** — Kimo 15W 2700K CRI90 15° White Casambi




15°



24°



36°



60°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	15W	1388lm / 1167lm / 1905lm / 1172lm	15° / 24° / 36° / 50°
			30W	2668lm / 2245lm / 2106lm / 2253lm	15° / 24° / 36° / 50°
930	3000K	90	15W	1431lm / 1111lm / 1042lm / 1115lm	15° / 24° / 36° / 50°
			30W	2751lm / 2314lm / 2171lm / 2323lm	15° / 24° / 36° / 50°
940	3000K	90	15W	1473lm / 1239lm / 1163lm / 1244lm	15° / 24° / 36° / 50°
			30W	2834lm / 2383lm / 2236lm / 2393lm	15° / 24° / 36° / 50°



The Troop Surface model provides high-precision linear lighting with glare control through its UGR optics. Ideal for surface mounting in commercial spaces and offices, it combines modular design and lighting efficiency. Its uniform and comfortable light ensures a visually pleasant environment, seamlessly integrating into any architectural style.

El modelo Troop Surface ofrece una iluminación lineal de alta precisión, con control del deslumbramiento gracias a su óptica UGR. Ideal para superficies en espacios comerciales y oficinas, combina diseño modular y eficiencia lumínica. Su luz uniforme y confortable garantiza un ambiente visualmente agradable, integrándose perfectamente en cualquier estilo arquitectónico.



# TROOP

NEW




# SURFACE





TRIM  
Con marco

WALL WASHER  
Bañador de pared



**FINISH**  
Acabado

- Black+Black**  
Negro+Negro
- Black+White**  
Negro+Blanco
- White+White**  
Blanco+Blanco
- White+Black**  
Blanco+Negro
- Black+Gold**  
Negro+Oro
- White+Gold**  
Blanco+Oro

**COLOR TEMPERATURE**  
Temperatura de color

- 2700K CRI90**
- 3000K CRI90**
- 4000K CRI90**

**BEAM ANGLE**  
Ángulo de apertura



**CONTROL SYSTEM**  
Sistema de control



CASAMBI




# Highlights

**Anti-glare optics**  
Óptica antideslumbrate

**UGR**

**Reflector with dark light technology**  
Reflector con tecnología dark light



**Linear design with circular light effect**  
Diseño lineal con efecto lumínico circular




**Wall washer version**  
Versión bañador de pared



**Several color temperatures**  
Varias temperaturas de color




**Residential**



**Restaurant**

## Beam Angle



**15°**

**36°**

**48°**







# TROOP SURFACE 5L

NEW


incl. DIM 50.000hs L70 / B10 MacAdam 3 700mA 14.28V 650°C UGR <16




Family	Color T°	Beam Angle	Finish	Anti-Glare	Control System
43708 Troop Surface 5x2W	927 2700K CRI90	1 15°	1 White	1 White	C  ON/OFF
	930 3000K CRI90	3 36°	2 Black	2 Black	
	940 4000K CRI90	4 48°		4 Gold	

43708 927 1 1 1 W

Example 43708927111 — Troop surface 2W 2700K 15° White White



15°



36°




48°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	5x2W	672lm / 841lm / 828lm	15° / 36° / 48°
930	3000K	90	5x2W	692lm / 866lm / 853lm	15° / 36° / 48°
940	4000K	90	5x2W	712lm / 891lm / 878lm	15° / 36° / 48°


# TROOP SURFACE WALLWASHER

NEW


incl. DIM 50.000hs L70 / B10 MacAdam 3 700mA 14.28V 650°C UGR <16




Family	Color T°	Beam Angle	Finish	Anti-Glare	Control System
43711 Troop Surface Wall Washer 5x2W	927 2700K CRI90	0 Asym	1 White	1 White	C TRIAC ON/OFF
	930 3000K CRI90		2 Black	2 Black	
	940 4000K CRI90				



15°



36°





48°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	5x2W	519lm	90°
930	3000K	90	5x2W	535lm	36°
940	4000K	90	5x2W	551lm	48°


# TROOP SURFACE 10L

NEW


incl. DIM 50.000hs L70 / B10 MacAdam 3 700mA 28.57V 650°C UGR <16




Family	Color T°	Beam Angle	Finish	Anti-Glare	Control System
43709 Troop Surface 10x2W	927 2700K CRI90	1 15°	1 White	1 White	W CASAMBI
	930 3000K CRI90	3 36°	2 Black	2 Black	D DALI
	940 4000K CRI90	4 48°		4 Gold	C TRIAC ON/OFF



15°



36°



48°

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700K	90	10x2W	1379lm / 1681lm / 1755lm	15° / 36° / 48°
930	3000K	90	10x2W	1422lm / 1733lm / 1809lm	15° / 36° / 48°
940	4000K	90	10x2W	1465lm / 1785lm / 1863lm	15° / 36° / 48°





**Need consulting  
for your project?**  
¿Necesitas  
asesoramiento  
para tu proyecto?



# NESO SLIM





**TRACKS**  
Carriles

**RECESSED**  
Empotrable

**SURFACE**  
Superficie

**PENDANT**  
Colgante



1000 | 2000

1000 | 2000

1000 | 2000

**MODULES**  
Módulos

**Neso Slim**  
Point



305




388

**Neso Slim**  
Unik



ø150

**Neso Slim**  
Line/Wallwasher





N

305

704

305

**Neso Slim**  
Hole



ø35



ø50

N

N

N

**Neso Slim**  
Pendants



ø35

ø150

ø32

ø40

ø72

**FINISH**  
Acabado

● **Black**  
Negro

**COLOR TEMPERATURE**  
Temperatura de color

2700K CRI>90

3000K CRI>90



**CONTROL SYSTEM**  
Sistema de Control



**CASAMBI**

## NESO SLIM LINE 30cm

no incl. 50.000hs L70/B10  MacAdam 3 24V 



### Family

### Color T°

### Finish

### Control System

**60104** Line slim 30cm 6W

**927** 2700K 322lm CRI>90

**02** Black

**W** CASAMBI



**930** 3000K 332lm CRI>90

**D** DALI

ON/OFF

## NESO SLIM LINE 70cm

no incl. 50.000hs L70/B10  MacAdam 3 24V 



### Family

### Color T°

### Finish

### Control System

**60105** Line slim 70cm 18W

**927** 2700K 875lm CRI>90

**02** Black

**W** CASAMBI


**930** 3000K 902lm CRI>90

**D** DALI

ON/OFF

## NESO SLIM LINE WALL WASHER 30cm NEW

no incl. 50.000hs L70/B10  MacAdam 3 24V 



### Family

### Color T°

### Finish

### Control System

**60111** Line slim wallwasher 30cm 6W

**927** 2700K 311lm CRI>90

**02** Black

**W** CASAMBI

**930** 3000K 320lm CRI>90



**D** DALI

ON/OFF



## NESO SLIM ANNA N

no incl. 50.000hs L70/B10 24V 650°C



15°

**Family** **Color T°** **Beam Angle** **Finish** **Control System**

60110 Anna slim pendant 6W

927 2700K CRI90



1 15°

02 Black

W CASAMBI  
D DALI  
ON/OFF

## NESO SLIM DIANA N

no incl. 50.000hs L70/B10 24V 650°C



18°

**Family** **Color T°** **Beam Angle** **Finish** **Control System**

60112 Diana slim 400 6W

927 2700K CRI90

1 18°

02 Black



W CASAMBI  
D DALI  
ON/OFF

60113 Diana slim 600 6W

60114 Diana slim 800 6W

## NESO SLIM NINA N

no incl. 50.000hs L70/B10 24V 650°C



18°

**Family** **Color T°** **Beam Angle** **Finish** **Control System**

60111 Nina slim 4W

927 2700K CRI90

1 18°

02 Black

W CASAMBI  
D DALI  
ON/OFF






F A R O  
BARCELONA

10

A R O  
ARCELONA



Request visit






**Showroom Barcelona**  
Princesa 52  
08003 Barcelona  
Spain  
Tel +34932387373  
showroom.barcelona@faro.es

**Showroom Paris**  
7 Rue d'Uzès  
75002 Paris  
France  
Tel +33745061553  
showroom.paris@faro.es

**Showroom Manila**  
699 Malate  
1004 Metro, Manila  
Philippines  
Tel +63285595363  
ldl\_roxas@landlitephilcorp.com

**Showroom Madrid**  
Velázquez 35 4ºD  
28001 Madrid  
Spain  
Tel +34689583571  
showroom.madrid@faro.es

**Showroom Buenos Aires**  
Ven Street Center Local 30  
Av. Italia 4950  
1622 Dique Luján  
Buenos Aires Argentina  
Tel +5491171390813  
showroom.argentina@faro.es



**Logistics Headquarters**  
Dinámica 1 Pol. Ind. Santa Rita  
08755 Castellbisbal  
Spain  
Tel +34937723949  
info@faro.es

**Logistics China**  
Room 1706-05, Glory International  
Finance Center  
25 Guicheng Road, Nanhai District  
Foshan, Guangdong Province

**Logistics US**  
135 West 41nd Street Suite 1002  
10036 New York  
USA

