

FOCUSON

NESO

The Magnetic Track System



Neso





Neso Slim





CONFIGURE YOUR NESO

Also for your mobile phone
También para tu teléfono móvil




Highlights

Neso Slim



Super Slim design
Diseño Super Slim



Maximum integration of
luminaires on rail
Integración máxima de las
luminarias en carril


Neso Slim and Standard



Magnetic
Magnético



Versatility
Versatilidad



UGR<16 Option



Connectivity
Conectividad



The Magnetic Track System

FOCUSON

tracks



1 Surface *Superficie*



2 Recessed *Empotrable*

Tracks are available for recessed, suspended and surface installation. *Los carriles están disponibles para instalación empotrada, suspendida y de superficie.*



3 Suspended *Suspendida*



FOCUSON

Neso

The Magnetic Track System

FOCUSON











Neso allows the integration of lighting in any type of architecture. The luminaires are attached to the rail by means of magnets. This makes it very easy to change their position. Imagination and creativity to power! *Neso permite la integración de la iluminación en cualquier tipo de arquitectura. las luminarias se fijan al carril mediante imanes. Esto hace que sea muy fácil cambiarlas de posición. ¡Imaginación y creatividad al poder!*



magnetic fixing

NESO



TRACKS Carriles		
RECESSED Empotrable	SURFACE Superficie	PENDANT Colgante
		
1000 2000	1000 2000	1000 2000
MODULES Módulos		
		
84	164	320
		
ø150	ø150	
		
320	640	
		
ø35	ø50	ø70
		
ø35		
FINISH Acabado		
 Black Negro	 White Blanco	
COLOR TEMPERATURE Temperatura de color		
 2700K CRI>90	 3000K CRI>90	
CONTROL SYSTEM Sistema de Control		
		

FOCUSON

Neso

The Magnetic Track System

FOCUSON




Fotografía: Julien Chamoux - Interiorista: Détail Studio

Need consulting
for your project?
¿Necesitas
asesoramiento
para tu proyecto?



Fotografía: Etienne Richon - Interiorista: Détail Studio


TRACK RECESSED



24V

Family		Track Length		Finish	Control System
5020120	Neso Track Recessed	10	1m	1 White	D  ON/OFF
		20	2m	2 Black	


TRACK SURFACE & SUSPENSION






24V




Family		Track Length		Finish	Control System
5020110	Neso Track Surface	10	1m	1 White	D  ON/OFF
		20	2m	2 Black	




ACCESSORIES

	● 5020200102	Mechanical connector
	● 5020115101 / ● 5020115102	Bridge
	● 5020115101D / ● 5020115102D	Bridge DALI
	● 5020R120102	Track cover
POWER SUPPLY		
98324120	Power supply 120W	
98324150	Power supply 150W	
98324180	Power supply 180W	
98324200	Power supply 200W	

	● 5020221401 / ● 5020221402	Input terminal
	● 5020221401D / ● 5020221402D	Input terminal DALI
	● 5020221001 / ● 5020221002	L
	● 5020221001D / ● 5020221002D	L DALI
	● 5020221101 / ● 5020221102	T
	● 5020221101D / ● 5020221102D	T DALI
	● 5020221201 / ● 5020221202	Inner corner
	● 5020221201D / ● 5020221202D	Inner corner DALI
	● 5020221301 / ● 5020221302	Outer corner
	● 5020221301D / ● 5020221302D	Outer corner DALI

ACCESSORIES

	● 5020200102	Mechanical connector
	● 5020115101 / ● 5020115102	Bridge
	● 5020115101D / ● 5020115102D	Bridge DALI
	● 5020210001 / ● 5020210002	Driver box
	● 5020210001D / ● 5020210002D	Driver box DALI
	● 5020210201 / ● 5020210202	Pendant kit
	● 5020210201D / ● 5020210202D	Pendant kit DALI
	5020210102	Steel wire
	● 5020R120102	Track cover
POWER SUPPLY		
98324120	Power supply 120W	
98324150	Power supply 150W	
98324180	Power supply 180W	
98324200	Power supply 200W	

	● 5020210301 / ● 5020210302	Input terminal
	● 5020210301D / ● 5020210302D	Input terminal DALI
	● 5020211001 / ● 5020211002	L
	● 5020211001D / ● 5020211002D	L DALI
	● 5020211101 / ● 5020211102	T
	● 5020211101D / ● 5020211102D	T DALI
	● 5020211201 / ● 5020211202	Inner corner
	● 5020211201D / ● 5020211202D	Inner corner DALI
	● 5020211301 / ● 5020211302	Outer corner
	● 5020211301D / ● 5020211302D	Outer corner DALI

FOCUSON

Neso

The Magnetic Track System

FOCUSON



NESO POINT 3L

no incl.

50.000HS
L70/B10



MACADAM
3

24V

650°C

UGR

<16



12°

34°

Family	Color T°	Beam Angle	Finish
50101	927	2700K 217lm CRI>90	1 12°
	930	3000K 292lm CRI>90	2 34°
			1 White
			2 Black

NESO POINT 6L

no incl.

50.000HS
L70/B10



MACADAM
3

24V

650°C

UGR

<16



12°

34°

Family	Color T°	Beam Angle	Finish	Control System
50102	927	2700K 480lm CRI>90	1 12°	N W CASAMBI D DALI ON/OFF
	930	3000K 506lm CRI>90	2 34°	
			1 White	
			2 Black	

NESO POINT 12L

no incl.

50.000HS
L70/B10



MACADAM
3

24V

650°C

UGR

<16



12°



34°

Family	Color T°	Beam Angle	Finish	Control System
50103	927	2700K 1102lm CRI>90	1 12°	N W CASAMBI D DALI ON/OFF
	930	3000K 1107lm CRI>90	2 34°	
			1 White	
			2 Black	



NESO LINE 32cm

no incl. 50.000HS L70/B10   24V 





32

Family	Color T°	Finish	Control System
50104 Line 32cm 13W	927 2700K 892lm CRI>90 930 3000K 920lm CRI>90	01 White 02 Black	N W D ON/OFF CASAMBI DALI

NESO LINE 64cm

no incl. 50.000HS L70/B10   24V 



64

Family	Color T°	Finish	Control System
50105 Line 64cm 26W	927 2700K 1399lm CRI>90 930 3000K 1442lm CRI>90	01 White 02 Black	N W D ON/OFF CASAMBI DALI

The Magnetic Track System

FOCUSON



NESO HOLE ø3.5cm

no incl.

50.000HS



L70/B10

MACADAM

3

24V

650°C



20° 40°

Family	Color T°	Beam Angle	Finish	Control System
50107	Hole ø3,5cm 5W	1 20° 2 40°	1 White	N W CASAMBI D DALI ON/OFF
	927 2700K 360lm CRI>90 930 3000K 444lm CRI>90		2 Black	

NESO HOLE ø5cm

no incl.

50.000HS



L70/B10

MACADAM

3

24V

650°C



18° 36°

Family	Color T°	Beam Angle	Finish	Control System
50108	Hole ø5cm 10W	1 18° 2 36°	1 White	N W CASAMBI D DALI ON/OFF
	027 2700K 445lm CRI>90 030 3000K 592lm CRI>90		2 Black	

NESO HOLE ø7cm

N

no incl.

50.000HS



L70/B10

MACADAM

3

24V

650°C



18° 36°



Family	Color T°	Beam Angle	Finish	Control System
50110	Hole ø7cm 20W	1 18° 2 36°	1 White	W CASAMBI D DALI ON/OFF
	027 2700K 881lm CRI90 030 3000K 1171lm CRI90		2 Black	

The Magnetic Track System

FOCUSON

NESO UNIK

no incl. 50.000HS L70/B10 3 24V 650°C





325°

Family	Color T°	Finish	Control System
50108 Unik 5W	927 2700K 256lm CRI>90 930 3000K 264lm CRI>90	01 White 02 Black	N W CASAMBI D DALI ON/OFF

NESO UNIK

no incl. 50.000HS L70/B10 3 24V 650°C





325°


Family	Color T°	Finish	Control System
50109 Unik 5W	027 2700K 256lm CRI>90 030 3000K 264lm CRI>90	01 White 02 Black	N W CASAMBI D DALI ON/OFF

NESO TOP

no incl. 50.000HS L70/B10 3 24V 650°C



20°



40°


Family	Color T°	Beam Angle	Finish	Control System
50106 Top 5W	927 2700K 360m CRI>90 930 3000K 444lm CRI>90	1 20° 2 40°	1 White 2 Black	N W CASAMBI D DALI ON/OFF

The Magnetic Track System


FOCUSON




NESO SLIM



TRACK RECESSED











Family	Track Length	Finish	Control System
6020120 Neso Track Recessed	10 1m	2 Black	D 
	20 2m		
		2	ON/OFF

TRACK SURFACE & SUSPENSION











Family	Track Length	Finish	Control System
6020110 Neso Track Surface	10 1m	2 Black	D 
	20 2m		
		2	ON/OFF


ACCESSORIES




● 6020200102	Mechanical connector
● 6020115102	Bridge
● 6020115102D	Bridge DALI
● 6020R120102	Track cover




● 6020221002	L
● 6020221002D	L DALI



● 6020221102	T
● 6020221102D	T DALI




● 6020221202	Inner corner
● 6020221202D	Inner corner DALI



● 6020221302	Outer corner
● 6020221302D	Outer corner DALI


ACCESSORIES




● 6020200102	Mechanical connector
● 6020200103	Surface mounting Kit
● 6020210202	Pendant Kit
● 6020210202D	Pendant kit DALI




6020210102	Steel wire
6020R120102	Track cover




98324120	Power supply 120W
98324150	Power supply 150W
98324180	Power supply 180W
98324200	Power supply 200W




● 6020115102	Bridge
● 6020115102D	Bridge DALI




● 6020211002	L
● 6020211002D	L DALI



● 6020211102	T
● 6020211102D	T DALI



● 6020211202	Inner corner
● 6020211202D	Inner corner DALI



● 6020211302	Outer corner
● 6020211302D	Outer corner DALI

FOCUSON

Neso

The Magnetic Track System

FOCUSON




NESO SLIM POINT 12L

NEW




no incl.



50.000HS
L70/B10



IP65



MACADAM
3



24V



650°C

UGR

<16



25°


Family	Color T°	Beam Angle	Finish	Control System
60102	Point slim 12L 12W	927	2700K 816lm CRI>90	1
930	3000K 841lm CRI>90	1	25°	2
Black	2	W	CASAMBI	D
ON/OFF				

NESO SLIM POINT 24L

NEW




no incl.



50.000HS
L70/B10



IP65



MACADAM
3



24V



650°C

UGR

<16



25°

Family	Color T°	Beam Angle	Finish	Control System
60103	Point slim 24L 24W	927	2700K 1674lm CRI>90	1
930	3000K 1726lm CRI>90	1	25°	2
Black	2	W	CASAMBI	D
ON/OFF				

The Magnetic Track System



FOCUSON



NESO SLIM LINE 30cm

NEW

no incl. 50.000HS L70/B10 3 24V 650°C





Family	Color T°	Finish	Control System
60104	Line slim 30cm 6W	927 2700K 322lm CRI>90	02 Black
	930 3000K 332lm CRI>90		
			W CASAMBI
			D DALI
			ON/OFF

NESO SLIM LINE 70cm

NEW

no incl. 50.000HS L70/B10 3 24V 650°C



Family	Color T°	Finish	Control System
60105	Line slim 70cm 18W	927 2700K 875lm CRI>90	02 Black
	930 3000K 902lm CRI>90		
			W CASAMBI
			D DALI
			ON/OFF

The Magnetic Track System



FOCUSON



NESO SLIM HOLE ø3.5cm

NEW

no incl. 50.000HS L70/B10 MACADAM 3 24V 650°C





20° 40°

Family	Color T°	Beam Angle	Finish	Control System
60107	927	2700K 360lm CRI>90	2 Black	W CASAMBI
	930	3000K 444lm CRI>90		D DALI
				ON/OFF

NESO SLIM HOLE ø5cm

NEW

no incl. 50.000HS L70/B10 MACADAM 3 24V 650°C



18° 36°

Family	Color T°	Beam Angle	Finish	Control System
60108	027	2700K 445lm CRI>90	2 Black	W CASAMBI
	030	3000K 592lm CRI>90		D DALI
				ON/OFF

The Magnetic Track System



FOCUSON



NESO SLIM UNIK

NEW

no incl. 50.000HS L70/B10 MACADAM 3 24V 650°C





325°

Family	Color T°	Finish	Control System
60108 Unik slim 5W	927 2700K 230lm CRI>90 930 3000K 237lm CRI>90	02 Black	W CASAMBI D DALI ON/OFF

NESO SLIM UNIK PENDANT

NEW

no incl. 50.000HS L70/B10 MACADAM 3 24V 650°C





325°

Family	Color T°	Finish	Control System
60109 Unik slim pendant 5W	027 2700K 230lm CRI>90 030 3000K 237lm CRI>90	02 Black	W CASAMBI D DALI ON/OFF

NESO SLIM TOP

NEW

no incl. 50.000HS L70/B10 MACADAM 3 24V 650°C



20°

40°

Family	Color T°	Beam Angle	Finish	Control System
60106 Top slim top 5W	927 2700K 308m CRI>90 930 3000K 320lm CRI>90	1 20° 2 40°	2 Black	W CASAMBI D DALI ON/OFF

The Magnetic Track System

FOCUSON



NESO POINT 3L

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	4W	217 / 221lm	12° / 34°
930	3000k	90	4W	292 / 298lm	12° / 34°

NESO POINT 6L

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	8W	480 / 487lm	12° / 34°
930	3000k	90	8W	506 / 512lm	12° / 34°

NESO POINT 12L

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	8W	1102 / 1109lm	12° / 34°
930	3000k	90	8W	1107 / 1112lm	12° / 34°

NESO LINE 32cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	6W	892lm	100°
930	3000k	90	6W	920lm	100°

NESO LINE 64cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	18W	1399lm	100°
930	3000k	90	18W	1442lm	100°

NESO HOLE ø3.5cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	360 / 372lm	20° / 40°
930	3000k	90	5W	592 / 602lm	20° / 40°

NESO HOLE ø5cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	10W	825 / 932lm	18° / 36°
930	3000k	90	10W	954 / 961lm	18° / 36°

NESO HOLE ø7cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	20W	925 / 931lm	18° / 36°
930	3000k	90	20W	954 / 961lm	18° / 36°

NESO UNIK

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	256lm	325°
930	3000k	90	5W	264lm	325°

NESO TOP

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	360 / 371lm	20° / 40°
930	3000k	90	5W	444 / 452lm	20° / 40°

NESO SLIM POINT 12L

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	12W	816lm	25°
930	3000k	90	12W	841lm	25°

NESO SLIM POINT 24L

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	24W	1674lm	25°
930	3000k	90	24W	1726lm	25°

NESO SLIM LINE 30cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	6W	322lm	100°
930	3000k	90	6W	332lm	100°

NESO SLIM LINE 70cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	18W	875lm	100°
930	3000k	90	18W	902lm	100°

NESO SLIM HOLE ø3.5cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	334 / 334lm	20° / 40°
930	3000k	90	5W	347 / 344lm	20° / 40°

NESO SLIM HOLE ø5cm

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	10W	545 / 572lm	18° / 36°
930	3000k	90	10W	562 / 590lm	18° / 36°

NESO SLIM UNIK

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	230lm	325°
930	3000k	90	5W	237lm	325°

NESO SLIM TOP

Option	Color T°	CRI	Power	Lumen Output	Beam Angle
927	2700k	90	5W	308 / 310lm	20° / 40°
930	3000k	90	5W	318 / 320lm	20° / 40°



FURCO
CNC

FARO
BARCELONA

10

ARO
RCELONA



visit us_showrooms