



0-10V PROGRAMMABLE RECEIVER/MASTER PASSIVE KIT Ref. 34163

* Note : Only for ceiling fans with references ending in "VP"


Kit 0-10V programable receptor master pasivo Ref. 34163

* Nota : Sólo para ventiladores de techo cuyas referencias terminen en "VP"

INF

FUNCTION	VIN VOLT	CASAMBI %	FUNCTION	VIN VOLT	CASAMBI %
STAND BY	0.5	0.0	FORWARD (winter)	6.1	56.9
FAN STOP	1.2	4.3	REVERSE (summer)	6.8	64.7
SPEED 1	1.9	11	LIGHT ON (bright)	7.5	72.9
SPEED 2	2.6	18	LIGHT MEDIUM	8.2	80
SPEED 3	3.3	25.5	LIGHT MIN	8.9	88.2
SPEED 4	4.0	33.7	LIGHT OFF	9.6	95.7
SPEED 5	4.7	41.2			
SPEED 6	5.4	49.4			

** Voltage inputs to set from automation system 0-10V. Tolerance voltage VIN $\pm 10\%$



L : brown, marrón, marró, marron, marrone, castanho, braun, bruin, καφέ, коричневый, hnědá, brązowy, кафяв, hnedý
N : blue, azul, blau, bleu, blu, azul, blau, blauw, μπλε, синий, modrá, niebieski, син, modrý



yellow-green, amarillo-verde, groc-verd, jaune-vert, giallo-verde, verde-amarelo, gelb-grün, gell-groen, κίτρινο-πράσινο, желто-зеленый, žlutozelená, żółto-zielony, жълто-зелен, žltozelená

أصفر - أخضر




PASSIVE 0-10V RECEIVER Ref. 34163 : MORE THAN 1 CEILING FAN

* Note : Only for ceiling fans with references ending in "VP"

Receptor 0-10V pasivo Ref. 34163 : Más de 1 ventilador

* Nota : Sólo para ventiladores de techo cuyas referencias terminen en "VP"







0-10V RECEIVER - MASTER KIT refs 34163, 34164 : TUB

Kit 0-10V receptor master refs 34163, 34164 : TUB


01




02




03



04



05







0-10V RECEIVER - MASTER KIT refs 34163, 34164 : Assemble fan with rod

Kit 0-10V receptor master refs 34163, 34164 : En ventiladores con tija


01




02



03



04



05

